Minnesota Department of Health

WEEKLY COVID-19 REPORT 5/20/2021

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with trends and situational insights as well as trends over time.

- Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html) updated daily at 11 a.m.
- Coronavirus Disease 2019 (COVID-19) (https://www.cdc.gov/coronavirus/2019-nCoV/)
- Neighboring states' COVID-19 information:
 - Wisconsin: COVID-19 (Coronavirus Disease) (https://www.dhs.wisconsin.gov/covid-19/)
 - Iowa: Novel Coronavirus (COVID-19) (https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus)
 - North Dakota: Coronavirus (https://www.health.nd.gov/diseases-conditions/coronavirus/)
 - South Dakota: Novel Coronavirus Updates and Information (https://doh.sd.gov/news/Coronavirus.aspx)

Contents

About Minnesota COVID-19 Data	Cases among High Risk E
COVID-19 Overview Summary	Potential Expo
Laboratory Tests for COVID-19	Cases Associa PreK-12 Sc Cases that ha Institutes of H Minnesota
Positive COVID-19 Cases	Cases Associa Congregate
Cases by County of Residence	Response Me
Cumulative Case Rate by County of Residence14 Weekly Case Rate by County of Residence15	Syndromic Su
Hospitalizations, ICU Hospitalizations	
COVID-19 Deaths	
Demographics: Age	
Demographics: Gender24	
Demographics: Race & Ethnicity25 Age-Adjusted Race & Ethnicity Rates26	
Demographics: Interview Language27 Interview Language by County of Residence	
Likely Exposure	
Residence Type	

Cases among Health Care Workers
Potential Exposure in Child Care Settings
Cases Associated with PK - Grade 12 School Buildings35 PreK-12 School Buildings Reporting Cases
Cases that have an Affiliation with Institutes of Higher Education (IHE)
Cases Associated with Congregate Care Settings
Response Metrics: Testing and Interview Timing41
Syndromic Surveillance42


About Minnesota COVID-19 Data

- Data is for cases that were tested and returned positive. Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of people in Minnesota who have had COVID-19.
 - The COVID-19 case definition now includes both polymerase chain reaction (PCR) testing and antigen testing. Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as "unknown/missing".
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since Jan. 20, 2020 for confirmed (PCR) tests and cases, and since Sept. 1, 2020 for probable (antigen) tests and cases.
- More information on the MN Phases of Reopening can be found in the <u>Minnesota's Stay Safe Plan (https://mn.gov/ covid19/stay-safe/stay-safe-plan/index.jsp)</u> Phase 3+ includes: Phase 3 with mask mandate (starting 7/25), Phase 3 with mask mandate and changes in social gathering limits (starting 11/13), "Dial back to save lives" (starting 11/20), "Safely reopening pools..." (starting 1/4), and "Protecting recent progress and cautiously resuming certain activities" (starting 1/10).

DEPARTMENT OF HEALTH

health.mn.gov/coronavirus


COVID-19 Overview Summary



Laboratory Tests for COVID-19




Testing numbers show how many total tests have been done for people who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Total laboratory tests includes both PCR and antigen tests. Tests are reported by the date the test was run in the laboratory.



Current data: Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week


Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Numbers include both PCR and antigen tests. Percent positive is the percent of positive tests from the total number of tests.



Laboratory Test Rates by County of Residence

17,391 tests per 10,000 people statewide


Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included. Numbers include both PCR and antigen tests.



Number of Tests Cumulative Rate County Number of Tests Cumulative Rate County Aitkin 17.820 11.254 Martin 37.886 18,977 57,169 Anoka 504,420 McLeod 14,519 15,958 Becker 56,074 16,603 34,542 14,967 Meeker 12.272 Mille Lacs 41.232 16,026 57.389 17,418 18,146 Morrisor 25,504 75,915 19,169 Mower 19,663 14,685 17,581 Murray 21.317 Nicollet 63.237 18,719 21,031 29,866 13,676 Nobles 14,205 11,437 17,437 Norman 10,051 Olmsted 259,069 16,925 20,967 Otter Tail 104,189 17,966 15,086 14,862 10,478 Pennington 16,863 Pine 33,353 11,450 20,593 10,154 Pipestone 18,915 15,050 Polk 40,857 12,933 17,650 Pope 19,535 17,791 919,281 16,977 12,422 Ramsey 15,864 Red Lake 3,961 9,883 17.162 Redwood 25.499 16.632 28.925 17.099 19.649 Renville 19,383 173,920 26,446 Rice 18,010 Rock 18,009 19,132 20.316 22.336 14,446 Roseau 17,864 216,371 15,092 Scott 16,504 Sherburn 175,212 18,793 17,266 Sibley 23,148 15,523 11,055 St. Louis 360,544 18,020 9,292 267,949 17,087 Stearns 13,217 Steele 61,355 16,729 16,421 19,830 20,268 Stevens 13,399 Swift 17,552 18,651 9,538 Todd 30,842 12,619 18,950 6,999 20,974 Traverse 21,709 Wabasha 44,624 20,755 22,755 15,627 Wadena 31,052 19,978 32,863 17,472 Waseca 17,522 Washington 431,991 17,053 15,479 19,148 17,450 Watonwa 14,615 Wilkin 7,385 11,643 17,93 Winona 104,187 20,490 17,139 180,456 13,594 Wright 11,193 Yellow Medicine 18,678 18,928 Marshall 9.939 10,582 407.572 Unknown/missing

Percent of Tests Positive by County of Residence

Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.Numbers include both PCR and antigen tests.




		% positive statewide (cumulative)					
County	% Positive	County	% Positive				
Aitkin	5.0%	Martin	6.2%				
Anoka	8.4%	McLeod	6.7%				
Becker	4.8%	Meeker	7.5%				
Beltrami	6.7%	Mille Lacs	7.5%				
Benton	7.5%	Morrison	7.1%				
Big Stone	4.2%	Mower	6.2%				
Blue Earth	5.8%	Murray	7.2%				
Brown	5.7%	Nicollet	5.4%				
Carlton	4.3%	Nobles	13.5%				
Carver	7.3%	Norman	3.6%				
Cass	6.9%	Olmsted	5.1%				
Chippewa	6.1%	Otter Tail	5.2%				
Chisago	7.1%	Pennington	7.8%				
Clay	6.4%	Pine	7.6%				
Clearwater	8.7%	Pipestone	6.1%				
Cook	2.3%	Polk	5.5%				
Cottonwood	8.2%	Pope	5.6%				
Crow Wing	4.7%	Ramsey	6.1%				
Dakota	7.3%	Red Lake	7.8%				
Dodge	5.1%	Redwood	6.5%				
Douglas	7.4%	Renville	6.1%				
Faribault	5.8%	Rice	4.6%				
Fillmore	4.3%	Rock	6.3%				
Freeborn	5.7%	Roseau	9.7%				
Goodhue	5.8%	Scott	7.8%				
Grant	5.6%	Sherburne	7.3%				
Hennepin	6.2%	Sibley	6.2%				
Houston	6.2%	St. Louis	4.6%				
Hubbard	6.3%	Stearns	8.2%				
Isanti	7.8%	Steele	6.4%				
Itasca	5.5%	Stevens	4.6%				
Jackson	8.8%	Swift	6.4%				
Kanabec	7.5%	Todd	8.5%				
Kandiyohi	8.2%	Traverse	4.7%				
Kittson	5.2%	Wabasha	4.8%				
Koochiching	4.1%	Wadena	5.7%				
Lac qui Parle	5.3%	Waseca	7.4%				
Lake	4.5%	Washington	6.7%				
Lake of the Woods	5.7%	Watonwan	6.5%				
Le Sueur	6.9%	Wilkin	8.7%				
Lincoln	5.4%	Winona	4.3%				
Lyon	8.4%	Wright	8.3%				
Mahnomen	6.1%	Yellow Medicine	5.9%				
Marshall	8.6%	Unknown/missing	2.9%				

6.3%

Weekly Percent of Tests Positive by County of Residence


Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence. Numbers include both PCR and antigen tests.



Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Testing Demographics: Age

Number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative). Numbers include both PCR and antigen tests.



Testing Demographics: Gender


Number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative). Numbers include both PCR and antigen tests.



Positive COVID-19 Cases



Cases are individual people who live in Minnesota that tested positive for COVID-19. Cases are represented by the initial date of positive specimen collection. Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases.




Tables of current data: <u>Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html</u>)

New Cases by Week, 7-Day Average

Cases by week of specimen collection date, and 7-day moving average of new cases. Numbers include confirmed and probable cases.


New Cases by Week of Specimen Collection



Due to the need to


confirm reports and

Seven Day Moving Average of New Cases



Cases by County of Residence Cumulative number of positive cases by county of residence, patients no longer needing isolation.

Cumulative number of positive cases by county of residence, patients no longer needing isolation. Patients no longer needing isolation represents individuals with COVID-19 who no longer need to selfisolate. MDH does not track cases over time to determine whether they have fully recovered. Numbers include confirmed and probable cases.




• Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019
(COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

 Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Total Pos	597,052 itive Cases (cur	mulative)	No Longer N	582,480 leeding Isolatio	n (cumulative)
County	Cases	Cases no longer needing isolation	County	Cases	Cases no longer needing isolation
Aitkin	1,359	1,305	Martin	2,319	2,265
Anoka	42,108	41,112	McLeod	4,267	4,156
Becker	3,820	3,736	Meeker	2,598	2,503
Beltrami	4,015	3,852	Mille Lacs	3,070	2,974
Benton	5,754	5,561	Morrison	4,210	4,108
Big Stone	602	594	Mower	4,686	4,605
Blue Earth	7,553	7,424	Murray	1,067	1,05
Brown	3,063	3,006	Nicollet	3,276	3,192
Carlton	3,475	3,386	Nobles	4,082	4,02
Carver	10,546	10,409	Norman	543	530
Cass	2,780	2,664	Olmsted	13,307	13,090
Chippewa	1,529	1,479	Otter Tail	5,779	5,650
Chisago	6,069	5,893	Pennington	1,538	1,510
Clay	8,194	8,035	Pine	3,308	3,249
Clearwater	876	847	Pipestone	1,161	1,12
Cook	167	161	Polk	3,858	3,758
Cottonwood	1,663	1,620	Pope	1,115	1,089
Crow Wing	6,699	6,517	Ramsey	51,792	50,166
Dakota	46,233	45,219	, Red Lake	400	388
Dodge	1,857	1,832	Redwood	1,752	1,690
Douglas	4,709	4,566	Renville	1,809	1,748
Faribault	1,530	1,494	Rice	8,107	7,91
Fillmore	1,568	1,545	Rock	1,285	1,260
Freeborn	3,431	3,382	Roseau	2,103	2,06
Goodhue	4,804	4,684	Scott	17,384	17,080
Grant	587	559	Sherburne	11,834	11,54
Hennepin	123,410	120,424	Sibley	1,446	1,41
Houston	1,726	1,698	St. Louis	17,897	17,37
Hubbard	1,912	1,828	Stearns	22,376	21,90
Isanti	4,282	4,129	Steele	3,919	3,834
ltasca	4,454	4,260	Stevens	920	
Jackson	1,221	1,205	Swift	1,063	1,03
Kanabec	1,454	1,412	Todd	2,837	2,774
Kandiyohi	6,589	6,437	Traverse	373	36
, Kittson	487	462	Wabasha	2,068	2,04
Koochiching	868	803	Wadena	1,572	1,52
Lac qui Parle	754	728	Waseca	2,367	2,33
Lake	815	788	Washington	27,103	26,45
Lake of the Woods	338	319	Watonwan	1,348	1,312
Le Sueur	2,942	2,868	Wilkin	822	794
Lincoln	581	574	Winona	4,568	4,47
Lyon	3,620	3,547	Wright	16,198	15,83
Mahnomen	559	536	Yellow Medicine	1,146	1,11
	557	200		.,. +0	1,11

Cumulative Case Rate by County of Residence

Cumulative number of cases by county of residence per 10,000 people. Numbers include confirmed and probable cases.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	858	Martin	1,162
Anoka	1,212	McLeod	1,191
Becker	1,131	Meeker	1,126
Beltrami	871	Mille Lacs	1,193
Benton	1,446	Morrison	1,278
Big Stone	1,200	Mower	1,183
Blue Earth	1,139	Murray	1,277
Brown	1,215	Nicollet	970
Carlton	978	Nobles	1,869
Carver	1,050	Norman	828
Cass	958	Olmsted	869
Chippewa	1,273	Otter Tail	997
Chisago	1,109	Pennington	1,084
Clay	1,305	Pine	1,136
Clearwater	994	Pipestone	1,264
Cook	314	Polk	1,221
Cottonwood	1,462	Pope	1,015
Crow Wing	1,049	Ramsey	956
Dakota	1,106	Red Lake	998
Dodge	902	Redwood	1,143
Douglas	1,266	Renville	1,229
Faribault	1,101	Rice	1,233
Fillmore	751	Rock	1,365
Freeborn	1,124	Roseau	1,360
Goodhue	1,039	Scott	1,213
Grant	989	Sherburne	1,269
Hennepin	999	Sibley	970
Houston	925	St. Louis	894
Hubbard	916	Stearns	1,427
Isanti	1,099	Steele	1,069
ltasca	985	Stevens	940
Jackson	1,215	Swift	1,130
Kanabec	909	Todd	1,161
Kandiyohi	1,545	Traverse	1,118
Kittson	1,123	Wabasha	962
Koochiching	686	Wadena	1,152
Lac qui Parle	1,113	Waseca	1,258
Lake	771	Washington	1,070
Lake of the Woods	887	Watonwan	1,228
Le Sueur	1,051	Wilkin	1,296
Lincoln	1,018	Winona	898
Lyon	1,401	Wright	1,220
Mahnomen	1,015	Yellow Medicine	1,161
Marshall	939	. show medicine	1,101

Minnesota Department of Health Weekly COVID-19 Report: Updated 5/20/2021 with data current as of 4 p.m. the previous day.

1,080 cases per 10,000 people

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection. Numbers include confirmed and probable cases.


Week 14: 4/4/21-4/10/21			Week 15: 4/11/21-4/17/21					Week 8/21-4	16: /24/21			₩e 4/25/		17: 5/1/	21			Weel 2/21-	< 18: 5/8/2 ⁻	1	
Statewide 26.0			Statewide 24.5				St	atewide	e 20.6			State	wide	e 19.	5		St	atewi	de 14.6		
L I I	eek 16 17	18		14	15	Week 16	17	18		1	.4 15	Wee		L7	10		14	15	Wee 16		7 18
1413AitkinAnokaBeckerBeltramiBentonBig StoneBlue EarthBrownCarltonCarltonCarverCassChisagoClayClearwaterCookCottonwoodCrow WingDakotaDodgeDouglasFaribault	IV IV		Fillmore Freeborn Goodhue Grant Hennepin Houston Hubbard Isanti Itasca Jackson Kanabec Kandiyohi Kittson Koochiching Lac qui Parle Lake Lake of the Woods Le Sueur Lincoln Lyon Mahnomen Marshall						Martin McLeod Meeker Mille Lacs Morrison Mower Murray Nicollet Nobles Norman Olmsted Otter Tail Pennington Pine Pipestone Polk Pope Ramsey Red Lake Redwood Renville Rice							Rock Roseau Scott Sherburne Sibley St Louis Stearns Steele Stevens Swift Todd Traverse Wabasha Wadena Waseca Washington Watonwan Wilkin Winona Wright Yellow Medio					

Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Hospitalizations, ICU Hospitalizations

31,642 Total Hospitalizations (cumulative) 6,434 Total ICU Hospitalizations (cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included. Numbers include confirmed and probable cases.




Tables of current data: Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations. Numbers include confirmed and probable cases.

New Hospitalization by Week First Hospital Admission




Seven Day Moving Average of New Hospitalizations



ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations. Numbers include confirmed and probable cases.

New ICU Hospitalizations by Week of First ICU Hospital Admission




Seven Day, Moving Average of New ICU Hospitalizations



COVID-19 Deaths



Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




Tables of current data and more information about total deaths (also known as total deaths with laboratory testing) and non-laboratory-confirmed deaths: <u>Minnesota Situation Update for Coronavirus Disease</u> 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths. Numbers include confirmed and probable cases.

Deaths by Week of Death




Seven Day Moving Average of Deaths



Deaths by County of Residence

Cumulative number of deaths by county of residence. Numbers include confirmed and probable cases.



(COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Minnesota Department of Health Weekly COVID-19 Report: Updated 5/20/2021 with data current as of 4 p.m. the previous day.


Page 21

County	Deaths	County	Deaths
Aitkin	36	Martin	32
Anoka	441	McLeod	59
Becker	53	Meeker	40
Beltrami	59	Mille Lacs	54
Benton	97	Morrison	60
Big Stone	4	Mower	32
Blue Earth	41	Murray	9
Brown	40	Nicollet	44
Carlton	55	Nobles	48
Carver	45	Norman	9
Cass	31	Olmsted	99
Chippewa	38	Otter Tail	78
Chisago	51	Pennington	19
Clay	92	Pine	23
Clearwater	16	Pipestone	26
Cook	0	Polk	69
Cottonwood	23	Pope	6
Crow Wing	90	Ramsey	881
Dakota	455	Red Lake	7
Dodge	3	Redwood	37
Douglas	77	Renville	44
Faribault	19	Rice	108
Fillmore	10	Rock	19
Freeborn	29	Roseau	19
Goodhue	72	Scott	128
Grant	8	Sherburne	88
Hennepin	1,739	Sibley	10
Houston	16	St. Louis	305
Hubbard	41	Stearns	222
Isanti	64	Steele	15
ltasca	58	Stevens	11
Jackson	12	Swift	18
Kanabec	27	Todd	32
Kandiyohi	84	Traverse	5
Kittson	22	Wabasha	3
Koochiching	15	Wadena	22
Lac qui Parle	22	Waseca	22
Lake	20	Washington	286
Lake of the Woods	3	Watonwan	9
Le Sueur	24	Wilkin	12
Lincoln	3	Winona	50
Lyon	51	Wright	141
Mahnomen	9	Yellow Medicine	20
Marshall	17	Unknown/missing	0

Demographics: Age

Age groups, median age, and range for confirmed and probable cases.


	Median Age (Range) in Years
All Cases	37 (<1 month - 112)
Non-Hospitalized Cases	36 (<1 month - 112)
Hospitalizations	64 (<1 month - 105)
ICU Hospitalizations	64 (<1 month - 105)
Deaths	83 (<1 - 109)



Cases by Age Group and Specimen Collection Date


Cases by age group by date of specimen collection in Minnesota. Numbers include confirmed and probable cases.

Due to the need to confirm reports and



Demographics: Gender

Gender for confirmed and probable cases. Gender is collected during case interview and is self-reported.



Demogr

Race and ethnicity for c case interview. Individua category.

80%

70%

60%

50%

40%

30%

20%

10%

0%

Percent of Cases

Race/ethnicity

Hospitalizations **ICU Hospitalizations**


All Cases

Deaths

7 31			cs: Ra	co & F	H hnic	Rac	e/Ethnicity	M	innesota Populatio	n (2018) % of	Population
			c 3. 11a			Whi	te, non-Hispanic	4,	438,071	80%	
Ċ.				1 .1		Blac	k, non-Hispanic	33	36,505	6%	
			probable cases. R more than one rad				n, non-Hispanic	26	50,797	5%	
						Ame	erican Indian/Alasl -Hispanic	ka Native, 53	3,168	1%	
						Nati	ive Hawaiian/Pacif -Hispanic	ic Islander, 1,7	799	<1%	
							tiple Races, non-H	lispanic 13	7,233	2%	
		o		1	1	Oth	er, non-Hispanic	7,	021	<1%	
						Hisp	panic	29	92,764	5%	
68%	01%	62%		Proportion of Ca Proportion of H Proportion of IC Proportion of D	ospitalizations CU Admissions						
White non-l		anic	Black, non-Hispanic	Asian, non-Hispanic	Amer. Indian/ 4K Native, NH	Native HI/ Pacific IsI., NH	% % % % 7 Multiple Races, non-Hispanic	0ther, non-Hispanic		Unknown/ missing	Total
		8,750	·	25,240	5,838	683	11,831	8,460	51,488	37,89	597,052
		21,088	· · · · ·	1,727	543	43	816	303	2,524	992	
		3,990		504	146	10	164	67	630	175	
		6,150		293	102	8	80	21	222	82	


Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Numbers include confirmed and probable cases.



Demographics: Interview Language


Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.



Language	Total % of Interviews
Mandarin	<1%
Cantonese	<1%
Russian	<1%
Arabic	<1%
Vietnamese	<1%
Laotian	<1%
Amharic	<1%
Oromo	<1%
 Hmong 	<1%
Karen	<1%
Somali	1%
Spanish	4%
English	93%
Other	<1%


Interview Language by County of Residence

Percent of interviews by language and week of specimen collection by county of residence.



Likely Exposure

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.



Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregate living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.

Travel: Case traveled outside of Minnesota in the 2 weeks before illness.

Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.

- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.


Cases by Likely Exposure and Specimen Collection Date

Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.

reporting delays, data may be incomplete Community (no known contact) 50K Community (known contact) Community (outbreak) 45K Healthcare Homeless/Shelter Corrections 40K Congregate Care Travel outside of Minnesota Unknown/Missing 35K Number of Cases 30K 25K 20K 15K 10K 5K ОК Week


Residence Type

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.




Cases among Health Care Workers

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.



High Risk Exposures in Health Care Workers

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.




Potential Exposure in Child Care Settings

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases include children and staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.




Cases per program	Programs	Percent
1 case	540	35%
2-4 cases	589	38%
≥5 cases	432	27%



Cases Associated with Pre-K through Grade 12 School Buildings

Cases of COVID-19 associated with school staff and students working or attending school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.


Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.



PreK-12 School Buildings Reporting Cases

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.






Cases per building	Number of buildings reporting cases 5/2-5/15/21	
1 case	427	
2-4 cases	294	
≥5 cases	60	
Total	781	


A list of School buildings listed below reported 5 or more cases of COVID-19 in students or staff who were in the building while infectious during a two-week reporting period by county is available in the <u>Minnesota Situation Update for Coronavirus Disease 2019 (https://www.health.state.mn.us/diseases/coronavirus/situation.html)</u>


Cases that have an Affiliation with Institutes of Higher Education (IHE)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.








Minnesota IHE Facilities Reporting Cases

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.



Due to the need to




Cases per IHE facility	Number of IHEs reporting cases 5/2-5/15/21
1-10 cases	74
11-30 cases	5
31-99 cases	1
≥100 cases	0
Total	80

Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with staff and residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.








Congregate Care Facility Outbreaks


Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

Due to the need to confirm reports and reporting delays, data may be incomplete



A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: <u>Minnesota Situation Update for Coronavirus Disease 2019 (https://www.health.state.mn.us/diseases/coronavirus/situation.html</u>)

Response Metrics: Testing and Interview Timing




Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through May 15, 2021. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through May 15, 2021, these data represent all patients from about 124 hospitals in Minnesota, covering approximately 88% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.



Map of Counties and Infectious Disease Surveillance Regions can be found on: <u>Field Services Epidemiologists (https://www.health.state.mn.us/about/org/idepc/epis.html)</u>