#### DEPARTMENT OF HEALTH

### HIV Prevalence Report Data Tables, Minnesota 2018

| Table 1. Number <sup>1</sup> and Rate <sup>II</sup> (per 100,000 persons) of Persons Living with HIV (non-AIDS) and |
|---|
| AIDS by Residence, Age, and Sex Assigned at Birth Minnesota, 2018   |

| Crown             | HIV (no | n-AIDS) | AI    | DS   | То    | tal  | HIV/AIDS        |  |  |
|-------------------|---------|---------|-------|------|-------|------|-----------------|--|--|
| Group             | Cases   | %       | Cases | %    | Cases | %    | Prevalence Rate |  |  |
| Residence         |         |         |       |      |       |      |                 |  |  |
| Minneapolis       | 1,788   | 36%     | 1,402 | 35%  | 3,190 | 36%  | 833.8           |  |  |
| St. Paul          | 631     | 13%     | 518   | 13%  | 1,149 | 13%  | 403.1           |  |  |
| Suburban          | 1,728   | 35%     | 1,377 | 34%  | 3,105 | 35%  | 142.3           |  |  |
| Greater Minnesota | 777     | 16%     | 745   | 18%  | 1,522 | 17%  | 62.0            |  |  |
| Total             | 4,924   | 100%    | 4,042 | 100% | 8,966 | 100% | 169.0           |  |  |
| Age <sup>IV</sup> |         |         |       |      |       |      |                 |  |  |
| <13 yrs           | 45      | 1%      | 3     | <1%  | 48    | 1%   | 5.2             |  |  |
| 13-19 yrs         | 58      | 1%      | 7     | <1%  | 65    | 1%   | 12.8            |  |  |
| 20-24 yrs         | 137     | 3%      | 38    | 1%   | 175   | 2%   | 49.2            |  |  |
| 25-29 yrs         | 449     | 9%      | 102   | 3%   | 551   | 6%   | 147.8           |  |  |
| 30-34 yrs         | 540     | 11%     | 235   | 6%   | 775   | 9%   | 226.0           |  |  |
| 35-39 yrs         | 590     | 12%     | 372   | 9%   | 962   | 11%  | 293.1           |  |  |
| 40-44 yrs         | 528     | 11%     | 422   | 10%  | 950   | 11%  | 269.2           |  |  |
| 45-49 yrs         | 617     | 13%     | 542   | 13%  | 1,159 | 13%  | 285.3           |  |  |
| 50-54 yrs         | 669     | 14%     | 721   | 18%  | 1,390 | 15%  | 346.0           |  |  |
| 55-59 yrs         | 570     | 12%     | 760   | 19%  | 1,330 | 15%  | 380.4           |  |  |
| 60+ yrs           | 727     | 15%     | 842   | 21%  | 1,569 | 17%  | 162.9           |  |  |
| Total             | 4,930   | 100%    | 4,044 | 100% | 8,974 | 100% | 169.2           |  |  |
| Gender            | 3,677   | 74%     | 3,068 | 76%  | 6,745 | 75%  | 256.3           |  |  |
| Male              | 1,260   | 26%     | 976   | 24%  | 2,236 | 25%  | 83.7            |  |  |
| Female            | 4,937   | 100%    | 4,044 | 100% | 8,981 | 100% | 169.3           |  |  |
| Total             | 4,937   |         | 4,044 |      | 8,981 |      | 169.3           |  |  |

<sup>1</sup>Cases reported to MDH, assumed to be alive, and currently residing in Minnesota as of December 31, 2019. <sup>II</sup> HIV/AIDS prevalence rate calculated by dividing the total number of prevalent cases in a stratum (e.g persons aged 20-24 years) by the estimated population for that stratum and multiplying by 100,000. Population estimates are based on 2010 U.S. Census data.

<sup>III</sup> Residence information missing for 13 persons living with HIV and 2 persons living with AIDS.

<sup>IV</sup> Age missing for 7 persons living with HIV and 0 persons living with AIDS.

Suburban = Seven-county metropolitan area except Minneapolis & St. Paul (Anoka, Carver, Dakota, Hennepin (except Minneapolis), Ramsey (except St. Paul), Scott, and Washington counties). Greater Minnesota = Remaining 80 counties outside of the seven-county metropolitan area.

Numbers exclude federal and private prisoners, but include 133 state prisoners, 169 refugees in the HIV-Positive Refugee Resettlement Program, and 164 additional refugees/immigrants with HIV infection prior to resettling in Minnesota.

Percentages may not add to 100 due to rounding.

## Table 2. Number of People Living with HIV and Rates (per 100,000) Living with HIV (non-AIDS) and AIDS by Race/Ethnicity and Mode of Exposure<sup>1</sup> by Sex Assigned at Birth- Minnesota, 2018

|  | Males          |       |       |      | Females        |       |       |      | Total          |       |        |          |                   |  |
|--|----------------|-------|-------|------|----------------|-------|-------|------|----------------|-------|--------|----------|-------------------|--|
| <b>C</b>   | HIV            | ALDC  | Tot   |      | HIV            |       | Tot   | 1    | HIV            | AIDC  |        | and Tota |                   |  |
| Group  | (non-<br>AIDS) | AIDS  | Cases | %    | (non-<br>AIDS) | AIDS  | Cases | %    | (non-<br>AIDS) | AIDS  | Cases  | %        | Rate <sup>™</sup> |  |
| Race/Ethnicity                                       |                |       |       |      |                |       |       |      |                |       |        |          |                   |  |
| White, non-Hispanic                                  | 2,063          | 1,566 | 3,629 | 54%  | 277            | 211   | 488   | 22%  | 2,340          | 1,777 | 4,117  | 46%      | 91.0              |  |
| Black <sup>II</sup> , African-American, non-Hispanic | 711            | 610   | 1,321 | 20%  | 296            | 259   | 555   | 25%  | 1,007          | 869   | 1,876  | 21%      | 1106.2            |  |
| Black <sup>II</sup> , African-born, non-Hispanic     | 308            | 308   | 616   | 9%   | 510            | 342   | 852   | 38%  | 818            | 650   | 1,468  | 16%      | 1400.4            |  |
| Hispanic, any race                                   | 361            | 388   | 749   | 11%  | 75             | 70    | 145   | 7%   | 436            | 458   | 894    | 10%      | 357.2             |  |
| American Indian, non-Hispanic                        | 28             | 35    | 63    | 1%   | 25             | 27    | 52    | 2%   | 53             | 62    | 115    | 1%       | 188.8             |  |
| Asian/PI, non-Hispanic                               | 76             | 61    | 137   | 2%   | 27             | 24    | 51    | 2%   | 103            | 85    | 188    | 2%       | 86.9              |  |
| Other <sup>II</sup> , non-Hispanic                   | 122            | 99    | 221   | 3%   | 44             | 43    | 87    | 4%   | 166            | 142   | 308    | 3%       | X                 |  |
| Total  | 3,669          | 3,067 | 6,736 | 100% | 1,254          | 976   | 2,230 | 100% | 4,923          | 4,043 | 8,966  | 100%     | 169.0             |  |
| Mode of Exposure                                     |                |       |       |      |                |       |       |      |                |       |        |          |                   |  |
| MSM  | 2,508          | 1,856 | 4,364 | 65%  |                |       |       |      | 2,508          | 1,856 | 4,364  | 49%      | X                 |  |
| IDU  | 105            | 135   | 240   | 4%   | 80             | 95    | 175   | 8%   | 185            | 230   | 415    | 5%       | X                 |  |
| MSM/IDU  | 254            | 232   | 486   | 7%   |                |       |       |      | 254            | 232   | 486    | 5%       | X                 |  |
| Heterosexual (Total)                                 | (135)          | (173) | (308) | 5%   | (442)          | (364) | (806) | 36%  | (577)          | (537) | (1114) | 12%      | X                 |  |
| Perinatal  | 34             | 17    | 51    | 1%   | 45             | 13    | 58    | 3%   | 79             | 30    | 109    | 1%       | X                 |  |
| Other  | 7              | 19    | 26    | 0%   | 3              | 3     | 6     | 0%   | 10             | 22    | 32     | 0%       | X                 |  |
| Unspecified  | 634            | 636   | 1,270 | 19%  | 690            | 501   | 1,191 | 53%  | 1,324          | 1,137 | 2,461  | 27%      | X                 |  |
| Total  | 3,677          | 3,068 | 6,745 | 100% | 1,260          | 976   | 2,236 | 100% | 4,937          | 4,044 | 8,981  | 100%     | 169.3             |  |

<sup>1</sup> Cases reported to MDH, assumed to be alive and currently residing in Minnesota as of December 31, 2018.

<sup>II</sup> African-born Blacks are reported separately from other Blacks (born in the U.S. or elsewhere). "Other" includes multi-racial persons and persons with unknown or missing race.

<sup>III</sup> Rates calculated using U.S. Census 2010 data. The population estimate for African-born persons was calculated by the Minnesota State Demographic Center. The population estimate for Black, African-American persons (169,584) was calculated by subtracting the U.S. Census estimate

#### HIV PREVALENCE REPORT DATA TABLES, MINNESOTA 2018

for African-born persons (104,828) from the total Black population (274,412). Note that this assumes that all African-born persons are Black (as opposed to another race).

<sup>IV</sup> Hetero, unknown risk - Females who were interviewed and whose only risk is heterosexual contact but who were not able to provide information on the sexual partner's risk.

MSM = Men who have sex with men. IDU = Injecting drug use. Heterosexual = For males: heterosexual contact with a female known to be HIV+, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. For females: heterosexual contact with a male known to be HIV+, bisexual, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. Perinatal = Mother to child HIV transmission. Other = Hemophilia patient/blood product or organ transplant recipient. Unspecified = Cases who did not acknowledge any of the risks listed above. No Interview, Unspecified = Cases who refused to be, could not be or have not yet been interviewed.

Numbers exclude federal and private prisoners, but include 133 state prisoners, 169 refugees in the HIV-Positive Refugee Resettlement Program, and 164 additional refugees/immigrants with HIV infection prior to resettling in Minnesota.

Percentages may not add to 100 due to rounding.

| County <sup>II</sup> | HIV (non-AIDS) | AIDS | Total | Rate <sup>Ⅲ</sup> |
|----------------------|----------------|------|-------|-------------------|
| Aitkin               | 4              | 1    | 5     | 30.9              |
| Anoka                | 239            | 205  | 444   | 134.2             |
| Becker               | 8              | 7    | 15    | 46.1              |
| Beltrami             | 14             | 13   | 27    | 60.8              |
| Benton               | 19             | 18   | 37    | 96.2              |
| Big Stone            | 0              | 0    | 0     | -                 |
| Blue Earth           | 26             | 17   | 43    | 67.2              |
| Brown                | 5              | 6    | 11    | 42.5              |
| Carlton              | 5              | 12   | 17    | 48.0              |
| Carver               | 27             | 32   | 59    | 64.8              |
| Cass                 | 8              | 11   | 19    | 66.5              |
| Chippewa             | 3              | 5    | 8     | 64.3              |
| Chisago              | 12             | 10   | 22    | 40.8              |
| Clay                 | 29             | 17   | 46    | 78.0              |
| Clearwater           | 2              | 2    | 4     | -                 |
| Cook                 | 0              | 2    | 2     | -                 |
| Cottonwood           | 3              | 6    | 9     | 77.0              |
| Crow Wing            | 10             | 6    | 16    | 25.6              |
| Dakota               | 261            | 210  | 471   | 118.2             |
| Dodge                | 3              | 2    | 5     | 24.9              |
| Douglas              | 9              | 4    | 13    | 36.1              |
| Faribault            | 3              | 5    | 8     | 55.0              |
| Fillmore             | 4              | 2    | 6     | 28.8              |
| Freeborn             | 2              | 11   | 13    | 41.6              |
| Goodhue              | 6              | 14   | 20    | 43.3              |
| Grant                | 4              | 4    | 8     | 132.9             |

| County <sup>II</sup> | HIV (non-AIDS) | AIDS | Total | Rate  |
|----------------------|----------------|------|-------|-------|
| Hennepin             | 2665           | 2064 | 4,729 | 410.4 |
| Houston              | 4              | 6    | 10    | 52.6  |
| Hubbard              | 3              | 2    | 5     | 24.5  |
| Isanti               | 12             | 8    | 20    | 52.9  |
| Itasca               | 10             | 11   | 21    | 46.6  |
| Jackson              | 4              | 6    | 10    | 97.4  |
| Kanabec              | 4              | 4    | 8     | 49.3  |
| Kandiyohi            | 19             | 13   | 32    | 75.8  |
| Kittson              | 0              | 3    | 3     | -     |
| Koochiching          | 1              | 0    | 1     | -     |
| Lac Qui Parle        | 0              | 3    | 3     | -     |
| Lake                 | 5              | 2    | 7     | 64.4  |
| Lake of the Woods    | 0              | 1    | 0     | 1     |
| Le Sueur             | 6              | 9    | 15    | 54.1  |
| Lincoln              | 4              | 1    | 5     | 84.8  |
| Lyon                 | 7              | 4    | 11    | 42.5  |
| McLeod               | 13             | 9    | 22    | 60.0  |
| Mahnomen             | 0              | 0    | 0     | -     |
| Marshall             | 2              | 0    | 2     | -     |
| Martin               | 7              | 7    | 14    | 67.2  |
| Meeker               | 8              | 4    | 12    | 51.5  |
| Mille Lacs           | 4              | 15   | 19    | 72.8  |
| Morrison             | 7              | 7    | 14    | 42.2  |
| Mower                | 32             | 31   | 63    | 160.9 |
| Murray               | 2              | 0    | 2     | -     |
| Nicollet             | 10             | 8    | 18    | 55.0  |

| County <sup>II</sup> | HIV (non-AIDS) | AIDS | Total | Rate  | County <sup>II</sup> | HIV (non-AIDS) | AIDS  | Total | Rate <sup>III</sup> |
|----------------------|----------------|------|-------|-------|----------------------|----------------|-------|-------|---------------------|
| Nobles               | 14             | 15   | 29    | 135.7 | Sherburne            | 28             | 26    | 54    | 61.0                |
| Norman               | 3              | 0    | 3     | -     | Sibley               | 4              | 1     | 5     | 32.8                |
| Olmsted              | 93             | 83   | 176   | 122.0 | Stearns              | 41             | 55    | 96    | 63.7                |
| Otter Tail           | 14             | 8    | 22    | 38.4  | Steele               | 8              | 6     | 14    | 38.3                |
| Pennington           | 4              | 3    | 7     | 50.3  | Stevens              | 0              | 3     | 3     | -                   |
| Pine                 | 6              | 9    | 15    | 50.4  | Swift                | 1              | 5     | 6     | 61.3                |
| Pipestone            | 3              | 2    | 5     | 52.1  | Todd                 | 1              | 2     | 3     | -                   |
| Polk                 | 9              | 10   | 19    | 60.1  | Traverse             | 1              | 1     | 2     | -                   |
| Роре                 | 3              | 6    | 9     | 81.9  | Wabasha              | 3              | 5     | 8     | 36.9                |
| Ramsey               | 766            | 643  | 1,409 | 277.0 | Wadena               | 2              | 2     | 4     | -                   |
| Red Lake             | 0              | 2    | 2     | -     | Waseca               | 4              | 4     | 8     | 41.8                |
| Redwood              | 2              | 1    | 3     | -     | Washington           | 132            | 79    | 211   | 88.6                |
| Renville             | 3              | 5    | 8     | 50.9  | Watonwan             | 2              | 2     | 4     | -                   |
| Rice                 | 46             | 31   | 77    | 120.0 | Wilkin               | 1              | 2     | 3     | -                   |
| Rock                 | 2              | 4    | 6     | 61.9  | Winona               | 18             | 8     | 26    | 50.5                |
| Roseau               | 0              | 0    | 0     | -     | Wright               | 38             | 29    | 67    | 53.7                |
| St. Louis            | 78             | 87   | 165   | 82.4  | Yellow Medicine      | 1              | 0     | 1     | -                   |
| Scott                | 57             | 64   | 121   | 93.1  | State Total"         | 4,924          | 4,042 | 8,966 | 182.3               |

<sup>1</sup> Cases reported to the MDH, assumed to be alive and currently residing in a Minnesota county as of December 31, 2018.

<sup>II</sup> Residence information missing for 12 persons living with HIV and 3 persons living with AIDS. Total rate is based on all cases in the state (n=8,966) Numbers by county exclude federal, and private prisoners, but include 169 refugees in the HIV-Positive Refugee Resettlement Program and 164 additional refugees/immigrants with HIV infection prior to resettling in Minnesota. Numbers for counties in which a state correctional facility is located exclude those inmates. The total number of state prisoners is 133. State correctional facilities are located in the following counties: Anoka, Carlton, Chisago, Goodhue, Itasca, Rice, Scott, Sherburne, and Washington.

<sup>III</sup> HIV/AIDS prevalence rate calculated by dividing the total number of prevalent cases in a stratum (e.g persons living in Hennepin county) by the estimated population for that stratum and multiplying by 100,000. Population estimates are based on 2010 U.S. Census data. Rates not calculated for counties with fewer than 5 cases.

|                                     | 2007           | 2008  | 2009  | 2010  | 2011  | 2012  | 2013  | 2014           | 2015  | 2016  | 2017  | 2018  |
|-------------------------------------|----------------|-------|-------|-------|-------|-------|-------|----------------|-------|-------|-------|-------|
| Total HIV Diagnoses                 | 330            | 322   | 366   | 331   | 292   | 314   | 303   | 312            | 303   | 300   | 280   | 286   |
| PLWH                                | 5 <i>,</i> 950 | 6,221 | 6,552 | 6,814 | 7,136 | 7,516 | 7,723 | 7 <i>,</i> 988 | 8,215 | 8,554 | 8,789 | 8,966 |
| All Deaths                          | 128            | 115   | 127   | 111   | 134   | 108   | 123   | 167            | 141   | 107   | 106   | 82    |
| Death Due to Underlying HIV Disease | 75             | 54    | 70    | 61    | 51    | 30    | 52    | 61             | 44    | 46    | 36    | 26    |

# Table 4. Number of New HIV Cases, People Living with HIV (PLWH), All Deaths<sup>1</sup> and Deaths Due to Underlying HIV disease, Minnesota 2007-2018

<sup>1</sup> HIV (non-AIDS) = New cases of HIV infection (excluding AIDS at first diagnosis) diagnosed within a given calendar year. AIDS = All new cases of AIDS diagnosed within a given calendar year, including AIDS at first diagnosis. All deaths= Number of deaths known to have occurred among all people living with HIV infection in Minnesota, regardless of location of diagnosis and cause of death.

<sup>II</sup>Numbers include refugees in the HIV-Positive Refugee Resettlement Program and other refugees/immigrants diagnosed with AIDS subsequent to their arrival in the U.S.

These numbers refer to events, not individuals. For example, a person diagnosed as an HIV (non-AIDS) case in 2003 and then diagnosed as an AIDS case in 2008 will be counted twice in Table 4, once for each event. Thus, the numbers of HIV (non-AIDS) and AIDS cases cannot be summed over years to obtain cumulative totals. Please refer to the Minnesota HIV Surveillance Report, 2018 New HIV Infections, Table 1 for cumulative totals.

Case numbers exclude federal and private prisoners.

Minnesota Department of Health 651-201-5414 <u>www.health.state.mn.us/hiv</u> 04/30/2019 *To obtain this information in a different format, call: 651-201-5414.*