

# Blue Plus (HMO Minnesota)

HEDIS 2011 (Reporting Year 2010)

Data Last Refreshed: 10/24/2011

General Info		Page
	Disclaimers	2

Code	Effectiveness of Care Measures	Page
<b>Prevention and Screening</b>		
ABA	Adult BMI Assessment	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	4
CIS	Childhood Immunization Status	6
IMA	Immunizations for Adolescents	10
BCS	Breast Cancer Screening	12
CCS	Cervical Cancer Screening	13
COL	Colorectal Cancer Screening	14
CHL	Chlamydia Screening in Women	15
GSO	Glaucoma Screening in Older Adults	17
LSC	Lead Screening in Children	18
COA	Care for Older Adults	19
<b>Respiratory Conditions</b>		
PCE	Pharmacotherapy Management of COPD Exacerbation	20
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	23
ASM	Use of Appropriate Medications for People with Asthma	24
<b>Cardiovascular</b>		
CMC	Cholesterol Management for Patients with Cardiovascular Conditions	26
CBP	Controlling High Blood Pressure	29
PBH	Persistence of Beta Blocker Treatment After Heart Attack	30
<b>Diabetes</b>		
CDC	Comprehensive Diabetes Care	31
<b>Musculoskeletal</b>		
ART	Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis	36
OMW	Osteoporosis Management in Women Who had a Fracture	37
<b>Behavioral Health</b>		
AMM	Antidepressant Medication Management	38
ADD	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	43
FUH	Follow-up After Hospitalization for Mental Illness	45

Code	Effectiveness of Care Measures	Page
<b>Medication Management</b>		
MPM	Annual Monitoring for Patients on Persistent Medications	48
MRP	Medication Reconciliation Post Discharge	53
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly	54
DAE	Use of High Risk Medications in the Elderly	56

Code	Access / Availability of Care Measures	Page
AAP	Adult's Access to Preventive/Ambulatory Health Services	58
CAP	Children's and Adolescents' Access to Primary Care Practitioners	63
IET	Initiation/Engagement of Alcohol & Other Drug Dependence Treatment	65
PPC	Prenatal and Postpartum Care	70

Code	Use of Services Measures	Page
W15	Well Child Visits in the First 15 Months of Life	72
W34	Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life	74
AWC	Adolescent Well-Care Visits	75
AMB	Ambulatory Care	76
IPU	Inpatient Utilization - General Hospital/Acute Care	81
IAD	Identification of Alcohol and Other Drug Services	86
MPT	Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services	91

Code	Health Plan Descriptive Information Measures	Page
BCR	Board Certification	96
ENP	Enrollment by Product Line (Age & Sex)	98

**( this page left blank intentionally )**

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Adult BMI Assessment

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	Medicare Advantage	MHCP-MC
Measurement Year	2010		2010
Data Collection Methodology	A		H
Eligible Member Population	14325		18780
Numerator Events by Admin Data on Eligible Population (before exclusions)			584
Current Year's Admin Rate	NR	NR	3.11%
Minimum Required Sample Size			411
Oversampling Rate			5.00%
Final Sample Size (FSS)			432
Numerator events by admin data in FSS			25
Admin Rate on FSS	NR	NR	5.79%
Number of Records Excluded Because of Valid Data Errors			0
Number of administrative data records excluded			0
Number of medical record data records excluded			0
Number of employee/dependent medical records excluded			0
Records Added from the Oversample List			0
Denominator			432
Numerator Events by Admin Data	264		25
Numerator Events by Medical Record			253
Reported Rate	1.84%	NR	64.35%
Lower 95% Confidence Interval	1.62%	NR	59.72%
Upper 95% Confidence Interval	2.07%	NR	68.98%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2010				2010				2010			
Data Collection Methodology	A				A				A			
Eligible Member Population		2612	1909	4521		2612	1909	4521		2612	1909	4521
Numerator events by admin data in eligible population												
Current Year's Administrative Rate		NR	NR	NR		NR	NR	NR		NR	NR	NR
Minimum Required Sample Size												
Oversampling Rate												
Final Sample Size (FSS)												
Numerator events by admin data in FSS												
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors												
Number of administrative data records excluded												
Number of medical records excluded												
Number of employee/dependent records excluded												
Records Added from the Oversample List												
Denominator												
Numerator Events by Admin Data		137	64	201		23	32	55		0	0	0
Numerator Events by Medical Record												
Reported Rate		5.25%	3.35%	4.45%		0.88%	1.68%	1.22%		0.00%	0.00%	0.00%
Lower 95% Confidence Interval		4.37%	2.52%	3.83%		0.50%	1.07%	0.89%		0.00%	0.00%	0.00%
Upper 95% Confidence Interval		6.12%	4.19%	5.06%		1.26%	2.28%	1.55%		0.02%	0.03%	0.01%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2010				2010				2010			
Data Collection Methodology	H				H				H			
Eligible Member Population		15176	8287	23463		15176	8287	23463		15176	8287	23463
Numerator events by admin data in eligible population		158	75	233		101	101	202		0	1	1
Current Year's Administrative Rate		1.04%	0.91%	0.99%		0.67%	1.22%	0.86%		0.00%	0.01%	0.00%
Minimum Required Sample Size	411				411				411			
Oversampling Rate	5.00%				5.00%				5.00%			
Final Sample Size (FSS)	432				432				432			
Numerator events by admin data in FSS		2	1	3		3	0	3		0	0	0
Admin rate on FSS		0.46%	0.23%	0.69%		0.69%	0.00%	0.69%		0.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0				0				0			
Number of administrative data records excluded	0				0				0			
Number of medical records excluded	0				0				0			
Number of employee/dependent records excluded	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		292	140	432		292	140	432		292	140	432
Numerator Events by Admin Data		2	1	3		3	0	3		0	0	0
Numerator Events by Medical Record		113	54	167		124	42	166		82	59	141
Reported Rate		39.38%	39.29%	39.35%		43.49%	30.00%	39.12%		28.08%	42.14%	32.64%
Lower 95% Confidence Interval		33.61%	30.84%	34.63%		37.64%	22.05%	34.40%		22.76%	33.61%	28.10%
Upper 95% Confidence Interval		45.16%	47.73%	44.07%		49.35%	37.95%	43.84%		33.41%	50.68%	37.18%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2010										
Data Collection Methodology	A										
Eligible Member Population	304										
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data		257	273	278	280	263	271	258	102	230	225
Numerator Events by Medical Record											
Reported Rate		84.54%	89.80%	91.45%	92.11%	86.51%	89.14%	84.87%	33.55%	75.66%	74.01%
Lower 95% Confidence Interval		80.31%	86.24%	88.14%	88.91%	82.51%	85.48%	80.68%	28.08%	70.67%	68.92%
Upper 95% Confidence Interval		88.77%	93.37%	94.76%	95.30%	90.52%	92.81%	89.06%	39.02%	80.65%	79.11%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2010										
Data Collection Methodology	A										
Eligible Member Population	304										
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data		257	226	220	87	193	185	78	76	165	70
Numerator Events by Medical Record											
Reported Rate		84.54%	74.34%	72.37%	28.62%	63.49%	60.86%	25.66%	25.00%	54.28%	23.03%
Lower 95% Confidence Interval		80.31%	69.27%	67.18%	23.37%	57.91%	55.20%	20.58%	19.97%	48.51%	18.13%
Upper 95% Confidence Interval		88.77%	79.42%	77.56%	33.86%	69.06%	66.51%	30.73%	30.03%	60.04%	27.92%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2010										
Data Collection Methodology	H										
Eligible Member Population	2428										
Numerator events by admin data in eligible population		1911	2184	2170	2164	2082	2142	1943	633	1482	1366
Current Year's Administrative Rate		78.71%	89.95%	89.37%	89.13%	85.75%	88.22%	80.02%	26.07%	61.04%	56.26%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		342	388	385	384	375	383	349	106	262	238
Admin rate on FSS		79.17%	89.81%	89.12%	88.89%	86.81%	88.66%	80.79%	24.54%	60.65%	55.09%
Number of Records Excluded Because of Valid Data Errors	1										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	431										
Numerator Events by administrative Data		342	388	385	384	375	383	349	106	262	238
Numerator Events by Medical Record		20	13	3	11	18	3	18	3	13	7
Reported Rate		83.99%	93.04%	90.02%	91.65%	91.18%	89.56%	85.15%	25.29%	63.81%	56.84%
Lower 95% Confidence Interval		80.41%	90.52%	87.08%	88.92%	88.39%	86.56%	81.68%	21.07%	59.15%	52.05%
Upper 95% Confidence Interval		87.57%	95.56%	92.97%	94.38%	93.98%	92.56%	88.62%	29.51%	68.46%	61.64%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2010										
Data Collection Methodology	H										
Eligible Member Population	2428										
Numerator events by admin data in eligible population		1911	1683	1604	522	1181	1071	433	372	854	323
Current Year's Administrative Rate		78.71%	69.32%	66.06%	21.50%	48.64%	44.11%	17.83%	15.32%	35.17%	13.30%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		342	308	296	87	218	197	72	66	161	59
Admin rate on FSS		79.17%	71.30%	68.52%	20.14%	50.46%	45.60%	16.67%	15.28%	37.27%	13.66%
Number of Records Excluded Because of Valid Data Errors	1										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	431										
Numerator Events by administrative Data		342	308	296	87	218	197	72	66	161	59
Numerator Events by Medical Record		20	29	32	15	22	21	11	10	16	8
Reported Rate		83.99%	78.19%	76.10%	23.67%	55.68%	50.58%	19.26%	17.63%	41.07%	15.55%
Lower 95% Confidence Interval		80.41%	74.18%	71.96%	19.54%	50.88%	45.74%	15.42%	13.92%	36.31%	12.01%
Upper 95% Confidence Interval		87.57%	82.20%	80.24%	27.79%	60.49%	55.42%	23.10%	21.35%	45.83%	19.08%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Immunizations for Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population	384			
Numerator Events by Admin Data on Eligible Population (before exclusions)				
Current Year's Admin Rate		NR	NR	NR
Minimum Required Sample Size				
Oversampling Rate				
Final Sample Size (FSS)				
Numerator events by admin data in FSS				
Admin Rate on FSS		NR	NR	NR
Records Excluded because of Valid Data Errors				
Number of administrative data records excluded				
Number of medical data records excluded				
Number of employee/dependent medical records excluded				
Records Added from the Oversample List				
Denominator				
Numerator Events by Admin Data		213	343	208
Numerator Events by Medical Record				
Reported Rate		55.47%	89.32%	54.17%
Lower 95% Confidence Interval		50.37%	86.10%	49.05%
Upper 95% Confidence Interval		60.57%	92.54%	59.28%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Immunizations for Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2010			
Data Collection Methodology	H			
Eligible Member Population	1678			
Numerator Events by Admin Data on Eligible Population (before exclusions)		740	1301	710
Current Year's Admin Rate		44.10%	77.53%	42.31%
Minimum Required Sample Size	411			
Oversampling Rate	5.00%			
Final Sample Size (FSS)	432			
Numerator events by admin data in FSS		188	346	179
Admin Rate on FSS		43.52%	80.09%	41.44%
Records Excluded because of Valid Data Errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records Added from the Oversample List	0			
Denominator	432			
Numerator Events by Admin Data		188	346	179
Numerator Events by Medical Record		10	27	11
Reported Rate		45.83%	86.34%	43.98%
Lower 95% Confidence Interval		41.02%	82.99%	39.18%
Upper 95% Confidence Interval		50.65%	89.70%	48.78%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Breast Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2010		2010		2010
Data Collection Methodology	A		A		A
Eligible Member Population	5822		449		5711
Numerator Events by Admin Data	4136		250		3413
Reported Rate	71.04%	NR	55.68%	NR	59.76%
Lower 95% Confidence Interval	69.87%	NR	50.97%	NR	58.48%
Upper 95% Confidence Interval	72.21%	NR	60.39%	NR	61.04%

## Cervical Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2010	2010
Data Collection Methodology	A	H
Eligible Member Population	7172	18550
Numerator Events by Admin Data on Eligible Population (before exclusions)		12383
Current Year's Admin Rate	NR	66.75%
Minimum Required Sample Size		328
Oversampling Rate		5.00%
Final Sample Size (FSS)		345
Numerator events by admin data in FSS		245
Admin Rate on FSS	NR	71.01%
Records Excluded because of Valid Data Errors		0
Number of administrative data records excluded		0
Number of medical record data records excluded		7
Number of employee/dependent medical records excluded		0
Records Added from the Oversample List		0
Denominator		338
Numerator Events by Admin Data	5246	245
Numerator Events by Medical Record		21
Reported Rate	73.15%	78.70%
Lower 95% Confidence Interval	72.11%	74.19%
Upper 95% Confidence Interval	74.18%	83.21%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Colorectal Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC
Measurement Year	2010		2010	
Data collection methodology (administrative or hybrid)	A		H	
Eligible population	6569		2115	
Number of numerator events by administrative data in eligible population (before exclusions)			842	
Current year's administrative rate (before exclusions)	NR	NR	39.81%	NR
Minimum required sample size (MRSS) or other sample size			411	
Oversampling rate			10.00%	
Final sample size (FSS)			453	
Number of numerator events by administrative data in FSS			168	
Administrative rate on FSS	NR	NR	37.09%	NR
Number of original sample records excluded because of valid data errors			0	
Number of administrative data records excluded			0	
Number of medical record data records excluded			0	
Number of employee/dependent medical records excluded			0	
Records added from the oversample list			0	
Denominator			453	
Numerator events by administrative data	3982		168	
Numerator events by medical records			60	
Reported rate	60.62%	NR	50.33%	NR
Lower 95% confidence interval	59.43%	NR	45.62%	NR
Upper 95% confidence interval	61.81%	NR	55.05%	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Chlamydia Screening in Women

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		429	485	914
Numerator Events by Admin Data		152	203	355
Reported Rate		35.43%	41.86%	38.84%
Lower 95% Confidence Interval		30.79%	37.36%	35.63%
Upper 95% Confidence Interval		40.07%	46.35%	42.05%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Chlamydia Screening in Women

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		2152	1923	4075
Numerator Events by Admin Data		963	972	1935
Reported Rate		44.75%	50.55%	47.48%
Lower 95% Confidence Interval		42.62%	48.29%	45.94%
Upper 95% Confidence Interval		46.87%	52.81%	49.03%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Glaucoma Screening in Older Adults

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2010
Data Collection Methodology		A
Eligible Member Population		6957
Numerator Events by Admin Data		5050
Reported Rate	NR	72.59%
Lower 95% Confidence Interval	NR	71.53%
Upper 95% Confidence Interval	NR	73.64%

## Lead Screening in Children

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2010	2010
Data Collection Methodology	A	A
Eligible Member Population	304	2428
Numerator Events by Admin Data on Eligible Population (before exclusions)		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final Sample Size (FSS)		
Numerator events by admin data in FSS		
Admin Rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of administrative data records excluded		
Number of medical record data records excluded		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data	225	2018
Numerator Events by Medical Record		
Reported Rate	74.01%	83.11%
Lower 95% Confidence Interval	68.92%	81.60%
Upper 95% Confidence Interval	79.11%	84.62%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Care for Older Adults

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### MSHO

Data Elements	General Measure Data	Advance Care Planning	Medication Review	Functional Status Assessment	Pain Screening
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data on Eligible Population (before exclusions)					
Current Year's Admin Rate		NR	NR	NR	NR
Minimum Required Sample Size					
Oversampling Rate					
Final Sample Size (FSS)					
Numerator events by admin data in FSS					
Admin Rate on FSS		NR	NR	NR	NR
Records Excluded because of Valid Data Errors					
Number of employee/dependent medical records excluded					
Records Added from the Oversample List					
Denominator					
Numerator Events by Admin Data					
Numerator Events by Medical Record					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

### Medicare Advantage

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

### MSHO

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	232		
Numerator Events by Admin Data		152	208
Reported Rate		65.52%	89.66%
Lower 95% Confidence Interval		59.19%	85.52%
Upper 95% Confidence Interval		71.85%	93.79%

## Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### SNBC

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Medicare Advantage	MSHO	SNBC
Measurement Year		2010	
Data Collection Methodology		A	
Eligible Member Population		290	
Numerator Events by Admin Data		53	
Reported Rate	NR	18.28%	NR
Lower 95% Confidence Interval	NR	13.66%	NR
Upper 95% Confidence Interval	NR	22.90%	NR

### Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		50	250	300
Numerator Events by Admin Data		47	236	283
Reported Rate		94.00%	94.40%	94.33%
Lower 95% Confidence Interval		86.42%	91.35%	91.55%
Upper 95% Confidence Interval		100.00%	97.45%	97.12%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		331	770	1101
Numerator Events by Admin Data		315	651	966
Reported Rate		95.17%	84.55%	87.74%
Lower 95% Confidence Interval		92.70%	81.93%	85.76%
Upper 95% Confidence Interval		97.63%	87.16%	89.72%

### Commercial

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	184		
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data		168	0
Numerator Events by Medical Record			
Reported Rate		91.30%	0.00%
Lower 95% Confidence Interval		86.96%	0.00%
Upper 95% Confidence Interval		95.65%	0.27%

### Medicare Advantage

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2009		
Data Collection Methodology	H		
Eligible Member Population	206		
Numerator Events by Admin Data on Eligible Population		180	1
Current Year's Admin Rate		87.38%	0.49%
Minimum Required Sample Size	206		
Oversampling Rate	5.00%		
Final Sample Size (FSS)	206		
Numerator events by admin data in FSS		179	1
Admin rate on FSS		86.89%	0.49%
Records Excluded because of Valid Data Errors	1		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	205		
Numerator Events by Admin Data		179	1
Numerator Events by Medical Record		4	112
Reported Rate		89.27%	55.12%
Lower 95% Confidence Interval		84.79%	48.07%
Upper 95% Confidence Interval		93.75%	62.17%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Controlling High Blood Pressure

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2010		2010		2010
Data Collection Methodology (Hybrid)	H		H		H
Eligible Member Population	1898		2053		2993
Numerator Events by Admin Data on Eligible Population (before exclusions)	0		0		0
Current Year's Admin Rate	0.00%	NR	0.00%	NR	0.00%
Minimum Required Sample Size	411		411		411
Oversampling Rate	10.00%		10.00%		10.00%
Final Sample Size (FSS)	453		453		453
Numerator events by admin data in FSS	0		0		0
Admin rate on FSS	0.00%	NR	0.00%	NR	0.00%
Records Excluded because of Valid Data Errors	2		1		1
Number of records excluded because of false positive diagnoses	2		1		1
Number of administrative data records excluded	0		2		0
Number of medical record data records excluded	0		0		0
Number of employee/dependent medical records excluded	0		0		0
Records Added from the OverSample List	0		0		0
Denominator	451		450		452
Numerator Events by Admin Data	0		0		0
Numerator Events by Medical Record	313		330		307
Reported Rate	69.40%	NR	73.33%	NR	67.92%
Lower 95% Confidence Interval	65.04%	NR	69.14%	NR	63.51%
Upper 95% Confidence Interval	73.77%	NR	77.53%	NR	72.33%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2010		2010		2010
Data Collection Methodology	A		A		A
Eligible Member Population	19		58		35
Numerator Events by Admin Data on Eligible Population	16		52		28
Reported Rate	NA	NR	89.66%	NR	80.00%
Lower 95% Confidence Interval	NA	NR	80.96%	NR	65.32%
Upper 95% Confidence Interval	NA	NR	98.35%	NR	94.68%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	HbA1c Testing	Poor HbA1c Control (>9.0%)	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010				2010	2010		2010		
Data Collection Methodology	A				A	A		A		
Eligible Member Population	1038				1038	1038		1038		
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data	917				577	876		859		
Numerator Events by Medical Record										
Reported Rate	88.34%	NR	NR	NR	55.59%	84.39%	NR	82.76%	NR	NR
Lower 95% Confidence Interval	86.34%	NR	NR	NR	52.52%	82.14%	NR	80.41%	NR	NR
Upper 95% Confidence Interval	90.34%	NR	NR	NR	58.66%	86.65%	NR	85.10%	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Medicare Advantage

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### MSHO

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010		2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	959	959		959	959	959	959	959	959	959
Numerator events by admin data in eligible population	876	941		12	634	756	18	808	31	30
Current Year's Administrative Rate	91.35%	98.12%	NR	1.25%	66.11%	78.83%	1.88%	84.25%	3.23%	3.13%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	426	441		8	313	372	13	391	10	10
Admin rate on FSS	94.04%	97.35%	NR	1.77%	69.09%	82.12%	2.87%	86.31%	2.21%	2.21%
Number of Records Excluded Because of Valid Data Errors	0	0		0	0	0	0	0	0	0
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	453	453		453	453	453	453	453	453	453
Numerator Events by Admin Data	426	114		8	313	372	13	391	10	10
Numerator Events by Medical Record	2	22		283	36	10	218	7	321	293
Reported Rate	94.48%	30.02%	NR	64.24%	77.04%	84.33%	50.99%	87.86%	73.07%	66.89%
Lower 95% Confidence Interval	92.27%	25.69%	NR	59.71%	73.06%	80.87%	46.28%	84.74%	68.87%	62.44%
Upper 95% Confidence Interval	96.69%	34.35%	NR	68.76%	81.03%	87.78%	55.71%	90.98%	77.26%	71.33%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### SNBC

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010		2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	2338	2338		2338	2338	2338	2338	2338	2338	2338
Numerator events by admin data in eligible population	2007	2335		2	1311	1775	1	1814	4	3
Current Year's Administrative Rate	85.84%	99.87%	NR	0.09%	56.07%	75.92%	0.04%	77.59%	0.17%	0.13%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	393	453		0	268	357	0	362	0	0
Admin rate on FSS	86.75%	100.00%	NR	0.00%	59.16%	78.81%	0.00%	79.91%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	1	1		1	1	1	1	1	1	1
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	452	452		452	452	452	452	452	452	452
Numerator Events by Admin Data	393	91		0	268	357	0	362	0	0
Numerator Events by Medical Record	8	69		252	39	6	204	6	342	269
Reported Rate	88.72%	35.40%	NR	55.75%	67.92%	80.31%	45.13%	81.42%	75.66%	59.51%
Lower 95% Confidence Interval	85.69%	30.88%	NR	51.06%	63.51%	76.53%	40.43%	77.72%	71.60%	54.88%
Upper 95% Confidence Interval	91.74%	39.92%	NR	60.44%	72.33%	84.09%	49.83%	85.11%	79.73%	64.15%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Medicare Advantage
Measurement Year	
Data Collection Methodology	
Eligible Member Population	
Numerator Events by Admin Data	
Reported Rate	NR
Lower 95% Confidence Interval	NR
Upper 95% Confidence Interval	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2010
Data Collection Methodology		A
Eligible Member Population		435
Numerator Events by Admin Data		52
Reported Rate	NR	11.95%
Lower 95% Confidence Interval	NR	8.79%
Upper 95% Confidence Interval	NR	15.12%

Commercial

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	342		
Numerator Events by Admin Data		262	211
Reported Rate		76.61%	61.70%
Lower 95% Confidence Interval		71.98%	56.40%
Upper 95% Confidence Interval		81.24%	66.99%

### Medicare Advantage

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	116		
Numerator Events by Admin Data		84	77
Reported Rate		72.41%	66.38%
Lower 95% Confidence Interval		63.85%	57.35%
Upper 95% Confidence Interval		80.98%	75.41%

SNBC

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	1115		
Numerator Events by Admin Data		628	446
Reported Rate		56.32%	40.00%
Lower 95% Confidence Interval		53.37%	37.08%
Upper 95% Confidence Interval		59.28%	42.92%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population		68	15
Numerator Events by Admin Data		26	6
Reported Rate		38.24%	NA
Lower 95% Confidence Interval		25.95%	NA
Upper 95% Confidence Interval		50.52%	NA

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population		437	135
Numerator Events by Admin Data		171	56
Reported Rate		39.13%	41.48%
Lower 95% Confidence Interval		34.44%	32.80%
Upper 95% Confidence Interval		43.82%	50.16%

### Medicare Advantage

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

**MSHO**

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	51		
Numerator Events by Admin Data		27	13
Reported Rate		52.94%	25.49%
Lower 95% Confidence Interval		38.26%	12.55%
Upper 95% Confidence Interval		67.62%	38.43%

SNBC

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Commercial

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		1962	18	1485	77	3542
Numerator Events by Admin Data		1528	17	1165	57	2767
Reported Rate		77.88%	NA	78.45%	74.03%	78.12%
Lower 95% Confidence Interval		76.02%	NA	76.33%	63.58%	76.74%
Upper 95% Confidence Interval		79.74%	NA	80.58%	84.47%	79.50%

### Medicare Advantage

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		3527	463	3972	452	8414
Numerator Events by Admin Data		3351	448	3801	397	7997
Reported Rate		95.01%	96.76%	95.69%	87.83%	95.04%
Lower 95% Confidence Interval		94.28%	95.04%	95.05%	84.71%	94.57%
Upper 95% Confidence Interval		95.74%	98.48%	96.34%	90.96%	95.51%

SNBC

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		2750	43	2088	236	5117
Numerator Events by Admin Data		2296	33	1728	175	4232
Reported Rate		83.49%	76.74%	82.76%	74.15%	82.70%
Lower 95% Confidence Interval		82.09%	62.95%	81.11%	68.36%	81.66%
Upper 95% Confidence Interval		84.90%	90.53%	84.40%	79.95%	83.75%

## Medication Reconciliation Post Discharge

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	MSHO
Measurement Year	
Data collection methodology (Administrative or Hybrid)	
Eligible member population	
Number of numerator events by administrative data in eligible population (before exclusions)	
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	
Oversampling rate	
Final sample size (FSS)	
Number of numerator events by administrative data in FSS	
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	
Number of employee/dependent medical records excluded	
Records added from the oversample list	
Denominator	
Numerator events by administrative data	
Numerator events by medical record	
Reported rate	NR
Lower 95% confidence interval	NR
Upper 95% confidence interval	NR

### Medicare Advantage

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2010				
Data Collection Methodology	A				
Eligible Member Population		653	2399	127	3179
Numerator Events by Admin Data		119	568	18	705
Reported Rate		18.22%	23.68%	14.17%	22.18%
Lower 95% Confidence Interval		15.19%	21.95%	7.71%	20.72%
Upper 95% Confidence Interval		21.26%	25.40%	20.63%	23.64%

### Medicare Advantage

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

**MSHO**

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	8690		
Numerator Events by Admin Data		1488	213
Reported Rate		17.12%	2.45%
Lower 95% Confidence Interval		16.33%	2.12%
Upper 95% Confidence Interval		17.92%	2.78%

### Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		5977	8208	279	14464
Numerator events by administrative data		5648	7847	270	13765
Reported rate		94.50%	95.60%	96.77%	95.17%
Lower 95% confidence interval		93.91%	95.15%	94.52%	94.81%
Upper 95% confidence interval		95.08%	96.05%	99.03%	95.52%

### Medicare Advantage

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

**MSHO**

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		0	0	8690	8690
Numerator events by administrative data		0	0	8531	8531
Reported rate		NA	NA	98.17%	98.17%
Lower 95% confidence interval		NA	NA	97.88%	97.88%
Upper 95% confidence interval		NA	NA	98.46%	98.46%

SNBC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		20683	11960	28	32671
Numerator events by administrative data		18503	10741	26	29270
Reported rate		89.46%	89.81%	NA	89.59%
Lower 95% confidence interval		89.04%	89.26%	NA	89.26%
Upper 95% confidence interval		89.88%	90.35%	NA	89.92%

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population		309	1623	1582	2773
Numerator events by administrative data		301	1457	1392	2518
Reported rate		97.41%	89.77%	87.99%	90.80%
Lower 95% confidence interval		95.48%	88.27%	86.36%	89.71%
Upper 95% confidence interval		99.34%	91.28%	89.62%	91.90%

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population		3300	10648	6782	9473
Numerator events by administrative data		3253	9782	6192	8764
Reported rate		98.58%	91.87%	91.30%	92.52%
Lower 95% confidence interval		98.16%	91.34%	90.62%	91.98%
Upper 95% confidence interval		99.00%	92.39%	91.98%	93.05%

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		20		259		279	
Numerator events by administrative data		11	3	92	27	103	30
Reported rate		NA	NA	35.52%	10.42%	36.92%	10.75%
Lower 95% confidence interval		NA	NA	29.50%	6.51%	31.08%	6.94%
Upper 95% confidence interval		NA	NA	41.54%	14.34%	42.76%	14.57%

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Medicare Advantage

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

MSHO

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		0		129		129	
Numerator events by administrative data		0	0	75	8	75	8
Reported rate		NA	NA	58.14%	6.20%	58.14%	6.20%
Lower 95% confidence interval		NA	NA	49.24%	1.65%	49.24%	1.65%
Upper 95% confidence interval		NA	NA	67.04%	10.75%	67.04%	10.75%

SNBC

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		219		2205		2424	
Numerator events by administrative data		100	42	919	291	1019	333
Reported rate		45.66%	19.18%	41.68%	13.20%	42.04%	13.74%
Lower 95% confidence interval		38.84%	13.74%	39.60%	11.76%	40.05%	12.35%
Upper 95% confidence interval		52.49%	24.62%	43.76%	14.63%	44.02%	15.13%

### Commercial

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2010	2010
Data collection methodology (Administrative or Hybrid)	A	A
Eligible member population	384	384
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	74.22%	55.99%
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data	285	215
Numerator events by medical record		
Reported rate	74.22%	55.99%
Lower 95% confidence interval	69.71%	50.89%
Upper 95% confidence interval	78.72%	61.08%

## Prenatal and Postpartum Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2010	2010
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	3877	3877
Number of numerator events by administrative data in eligible population (before exclusions)	2197	2041
Current year's administrative rate (before exclusions)	56.67%	52.64%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	10%	10%
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	260	247
Administrative rate on FSS	57.40%	54.53%
Number of original sample records excluded because of valid data errors	4	4
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	449	449
Numerator events by administrative data	260	247
Numerator events by medical record	141	76
Reported rate	89.31%	71.94%
Lower 95% confidence interval	86.34%	67.67%
Upper 95% confidence interval	92.28%	76.20%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2010							
Data Collection Methodology	A							
Eligible Member Population	293							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		20	1	8	3	8	39	214
Numerator Events by Medical Record								
Reported Rate		6.83%	0.34%	2.73%	1.02%	2.73%	13.31%	73.04%
Lower 95% Confidence Interval		3.77%	0.00%	0.69%	0.00%	0.69%	9.25%	67.79%
Upper 95% Confidence Interval		9.88%	1.18%	4.77%	2.35%	4.77%	17.37%	78.29%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2010							
Data Collection Methodology	A							
Eligible Member Population	2872							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		83	57	103	142	319	616	1552
Numerator Events by Medical Record								
Reported Rate		2.89%	1.98%	3.59%	4.94%	11.11%	21.45%	54.04%
Lower 95% Confidence Interval		2.26%	1.46%	2.89%	4.13%	9.94%	19.93%	52.20%
Upper 95% Confidence Interval		3.52%	2.51%	4.28%	5.75%	12.27%	22.97%	55.88%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2010	2010
Data Collection Methodology	A	A
Eligible Member Population	1354	8614
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data	948	5733
Numerator Events by Medical Record		
Reported Rate	70.01%	66.55%
Lower 95% Confidence Interval	67.54%	65.55%
Upper 95% Confidence Interval	72.49%	67.56%

# Use of Services

# Blue Plus (HMO Minnesota)

## Adolescent Well-Care Visits

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2010	2010
Data Collection Methodology	A	A
Eligible Member Population	4139	15002
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data	1295	4900
Numerator Events by Medical Record		
Reported Rate	31.29%	32.66%
Lower 95% Confidence Interval	29.86%	31.91%
Upper 95% Confidence Interval	32.71%	33.42%

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Age	Member Months
<1	4215
1-9	44263
10-19	58387
20-44	135627
45-64	150913
65-74	4105
75-84	155
85+	12
Unknown	0
<b>Total</b>	<b>397677</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	3527	836.77	166	39.38
1-9	12638	285.52	764	17.26
10-19	12509	214.24	811	13.89
20-44	33796	249.18	1711	12.62
45-64	49736	329.57	1635	10.83
65-74	1958	476.98	56	13.64
75-84	114	735.48	1	6.45
85+	0	0.00	0	0.00
Unknown	0		0	
<b>Total</b>	<b>114278</b>	<b>287.36</b>	<b>5144</b>	<b>12.94</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	2
45-64	10
65-74	32602
75-84	39364
85+	50111
Unknown	0
<b>Total</b>	<b>122089</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	0	NA	0	NA
20-44	0	0.00	0	0.00
45-64	7	700.00	0	0.00
65-74	28473	873.35	1611	49.41
75-84	34451	875.19	1890	48.01
85+	39883	795.89	2098	41.87
Unknown	0		0	
<b>Total</b>	<b>102814</b>	<b>842.12</b>	<b>5599</b>	<b>45.86</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### SNBC

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
<b>Total</b>	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	63079
1-9	375326
10-19	300468
20-44	461620
45-64	206530
65-74	415
75-84	37
85+	20
Unknown	0
<b>Total</b>	<b>1407495</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	51153	810.94	5446	86.34
1-9	123770	329.77	15990	42.60
10-19	82666	275.12	9330	31.05
20-44	196166	424.95	25452	55.14
45-64	101821	493.01	6249	30.26
65-74	303	730.12	23	55.42
75-84	10	270.27	1	27.03
85+	3	150.00	2	100.00
Unknown	0		0	
<b>Total</b>	<b>555892</b>	<b>394.95</b>	<b>62493</b>	<b>44.40</b>

Commercial

Age	Member Months
<1	4215
1-9	44263
10-19	58387
20-44	135627
45-64	150913
65-74	4105
75-84	155
85+	12
Unknown	0
<b>Total</b>	<b>397677</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	47	11.15	329	78.05	7.00
1-9	58	1.31	129	2.91	2.22
10-19	76	1.30	224	3.84	2.95
20-44	758	5.59	1961	14.46	2.59
45-64	847	5.61	2835	18.79	3.35
65-74	54	13.15	183	44.58	3.39
75-84	2	12.90	9	58.06	4.50
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>1842</b>	<b>4.63</b>	<b>5670</b>	<b>14.26</b>	<b>3.08</b>
<b>Medicine</b>					
<1	32	7.59	195	46.26	6.09
1-9	37	0.84	78	1.76	2.11
10-19	40	0.69	118	2.02	2.95
20-44	99	0.73	296	2.18	2.99
45-64	303	2.01	976	6.47	3.22
65-74	24	5.85	93	22.66	3.88
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>535</b>	<b>1.35</b>	<b>1756</b>	<b>4.42</b>	<b>3.28</b>
<b>Surgery</b>					
<1	15	3.56	134	31.79	8.93
1-9	21	0.47	51	1.15	2.43
10-19	34	0.58	101	1.73	2.97
20-44	180	1.33	439	3.24	2.44
45-64	536	3.55	1845	12.23	3.44
65-74	30	7.31	90	21.92	3.00
75-84	2	12.90	9	58.06	4.50
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>818</b>	<b>2.06</b>	<b>2669</b>	<b>6.71</b>	<b>3.26</b>
<b>Maternity</b>					
10-19	2	0.03	5	0.09	2.50
20-44	479	3.53	1226	9.04	2.56
45-64	8	0.05	14	0.09	1.75
Unknown	0		0		NA
<b>Total</b>	<b>489</b>	<b>1.42</b>	<b>1245</b>	<b>3.61</b>	<b>2.55</b>

Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Maternity</b>					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	2
45-64	10
65-74	32602
75-84	39364
85+	50111
Unknown	0
<b>Total</b>	<b>122089</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	0	0.00	0	0.00	NA
65-74	1318	40.43	5943	182.29	4.51
75-84	1701	43.21	7485	190.15	4.40
85+	2042	40.75	8719	173.99	4.27
Unknown	0		0		NA
<b>Total</b>	<b>5061</b>	<b>41.45</b>	<b>22147</b>	<b>181.40</b>	<b>4.38</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	0	0.00	0	0.00	NA
65-74	934	28.65	3611	110.76	3.87
75-84	1289	32.75	5088	129.26	3.95
85+	1689	33.71	6757	134.84	4.00
Unknown	0		0		NA
<b>Total</b>	<b>3912</b>	<b>32.04</b>	<b>15456</b>	<b>126.60</b>	<b>3.95</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	0	0.00	0	0.00	NA
65-74	383	11.75	2327	71.38	6.08
75-84	411	10.44	2393	60.79	5.82
85+	349	6.96	1952	38.95	5.59
Unknown	0		0		NA
<b>Total</b>	<b>1143</b>	<b>9.36</b>	<b>6672</b>	<b>54.65</b>	<b>5.84</b>
<b>Maternity</b>					
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>NA</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### SNBC

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Maternity</b>					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	63079
1-9	375326
10-19	300468
20-44	461620
45-64	206530
65-74	415
75-84	37
85+	20
Unknown	0
<b>Total</b>	<b>1407495</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	669	10.61	3097	49.10	4.63
1-9	684	1.82	1692	4.51	2.47
10-19	1077	3.58	2932	9.76	2.72
20-44	6526	14.14	17015	36.86	2.61
45-64	2028	9.82	6999	33.89	3.45
65-74	13	31.33	64	154.22	4.92
75-84	0	0.00	0	0.00	NA
85+	1	50.00	6	300.00	6.00
Unknown	0		0		NA
<b>Total</b>	<b>10998</b>	<b>7.81</b>	<b>31805</b>	<b>22.60</b>	<b>2.89</b>
<b>Medicine</b>					
<1	559	8.86	2107	33.40	3.77
1-9	513	1.37	1022	2.72	1.99
10-19	314	1.05	748	2.49	2.38
20-44	1107	2.40	3007	6.51	2.72
45-64	1026	4.97	2887	13.98	2.81
65-74	9	21.69	30	72.29	3.33
75-84	0	0.00	0	0.00	NA
85+	1	50.00	6	300.00	6.00
Unknown	0		0		NA
<b>Total</b>	<b>3529</b>	<b>2.51</b>	<b>9807</b>	<b>6.97</b>	<b>2.78</b>
<b>Surgery</b>					
<1	110	1.74	990	15.69	9.00
1-9	171	0.46	670	1.79	3.92
10-19	224	0.75	823	2.74	3.67
20-44	1022	2.21	3207	6.95	3.14
45-64	987	4.78	4074	19.73	4.13
65-74	4	9.64	34	81.93	8.50
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>2518</b>	<b>1.79</b>	<b>9798</b>	<b>6.96</b>	<b>3.89</b>
<b>Maternity</b>					
10-19	539	1.79	1361	4.53	2.53
20-44	4396	9.52	10800	23.40	2.46
45-64	14	0.07	34	0.16	2.43
Unknown	0		0		NA
<b>Total</b>	<b>4949</b>	<b>5.11</b>	<b>12195</b>	<b>12.59</b>	<b>2.46</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	33821	31151	64972	33821	31151	64972	33821	31151	64972	33821	31151	64972
13-17	15408	14320	29728	15408	14320	29728	15408	14320	29728	15408	14320	29728
18-24	18403	20215	38618	18403	20215	38618	18403	20215	38618	18403	20215	38618
25-34	20653	28134	48787	20653	28134	48787	20653	28134	48787	20653	28134	48787
35-64	93334	117966	211300	93334	117966	211300	93334	117966	211300	93334	117966	211300
65+	2288	1984	4272	2288	1984	4272	2288	1984	4272	2288	1984	4272
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
13-17	M	27	2.10%	13	1.01%	1	0.08%	26	2.02%
	F	15	1.26%	5	0.42%	1	0.08%	14	1.17%
	<b>Total</b>	<b>42</b>	<b>1.70%</b>	<b>18</b>	<b>0.73%</b>	<b>2</b>	<b>0.08%</b>	<b>40</b>	<b>1.61%</b>
18-24	M	61	3.98%	15	0.98%	0	0.00%	56	3.65%
	F	20	1.19%	5	0.30%	0	0.00%	19	1.13%
	<b>Total</b>	<b>81</b>	<b>2.52%</b>	<b>20</b>	<b>0.62%</b>	<b>0</b>	<b>0.00%</b>	<b>75</b>	<b>2.33%</b>
25-34	M	32	1.86%	5	0.29%	1	0.06%	30	1.74%
	F	20	0.85%	5	0.21%	0	0.00%	19	0.81%
	<b>Total</b>	<b>52</b>	<b>1.28%</b>	<b>10</b>	<b>0.25%</b>	<b>1</b>	<b>0.02%</b>	<b>49</b>	<b>1.21%</b>
35-64	M	132	1.70%	39	0.50%	2	0.03%	122	1.57%
	F	95	0.97%	25	0.25%	2	0.02%	91	0.93%
	<b>Total</b>	<b>227</b>	<b>1.29%</b>	<b>64</b>	<b>0.36%</b>	<b>4</b>	<b>0.02%</b>	<b>213</b>	<b>1.21%</b>
65+	M	3	1.57%	0	0.00%	0	0.00%	3	1.57%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>3</b>	<b>0.84%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>0.84%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>255</b>	<b>1.66%</b>	<b>72</b>	<b>0.47%</b>	<b>4</b>	<b>0.03%</b>	<b>237</b>	<b>1.55%</b>
	<b>F</b>	<b>150</b>	<b>0.84%</b>	<b>40</b>	<b>0.22%</b>	<b>3</b>	<b>0.02%</b>	<b>143</b>	<b>0.80%</b>
	<b>Total</b>	<b>405</b>	<b>1.22%</b>	<b>112</b>	<b>0.34%</b>	<b>7</b>	<b>0.02%</b>	<b>380</b>	<b>1.15%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	2	0	2	2	0	2
35-64	4	6	10	4	6	10	4	6	10	4	6	10
65+	31451	90626	122077	31451	90626	122077	31451	90626	122077	31451	90626	122077
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-24	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
25-34	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
35-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
65+	M	96	3.66%	51	1.95%	0	0.00%	66	2.52%
	F	99	1.31%	45	0.60%	1	0.01%	71	0.94%
	<b>Total</b>	<b>195</b>	<b>1.92%</b>	<b>96</b>	<b>0.94%</b>	<b>1</b>	<b>0.01%</b>	<b>137</b>	<b>1.35%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>96</b>	<b>3.66%</b>	<b>51</b>	<b>1.95%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>	<b>2.52%</b>
	<b>F</b>	<b>99</b>	<b>1.31%</b>	<b>45</b>	<b>0.60%</b>	<b>1</b>	<b>0.01%</b>	<b>71</b>	<b>0.94%</b>
	<b>Total</b>	<b>195</b>	<b>1.92%</b>	<b>96</b>	<b>0.94%</b>	<b>1</b>	<b>0.01%</b>	<b>137</b>	<b>1.35%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	272150	263022	535172	272150	263022	535172	272150	263022	535172	272150	263022	535172
13-17	75060	74356	149416	75060	74356	149416	75060	74356	149416	75060	74356	149416
18-24	61475	107365	168840	61475	107365	168840	61475	107365	168840	61475	107365	168840
25-34	69671	135603	205274	69671	135603	205274	69671	135603	205274	69671	135603	205274
35-64	143860	204461	348321	143860	204461	348321	143860	204461	348321	143860	204461	348321
65+	216	256	472	216	256	472	216	256	472	216	256	472
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	9	0.04%	3	0.01%	0	0.00%	8	0.04%
	F	7	0.03%	0	0.00%	0	0.00%	7	0.03%
	<b>Total</b>	<b>16</b>	<b>0.04%</b>	<b>3</b>	<b>0.01%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	<b>0.03%</b>
13-17	M	334	5.34%	125	2.00%	6	0.10%	315	5.04%
	F	216	3.49%	80	1.29%	7	0.11%	204	3.29%
	<b>Total</b>	<b>550</b>	<b>4.42%</b>	<b>205</b>	<b>1.65%</b>	<b>13</b>	<b>0.10%</b>	<b>519</b>	<b>4.17%</b>
18-24	M	715	13.96%	224	4.37%	13	0.25%	668	13.04%
	F	605	6.76%	196	2.19%	19	0.21%	548	6.12%
	<b>Total</b>	<b>1320</b>	<b>9.38%</b>	<b>420</b>	<b>2.99%</b>	<b>32</b>	<b>0.23%</b>	<b>1216</b>	<b>8.64%</b>
25-34	M	1043	17.96%	256	4.41%	23	0.40%	991	17.07%
	F	956	8.46%	252	2.23%	23	0.20%	908	8.04%
	<b>Total</b>	<b>1999</b>	<b>11.69%</b>	<b>508</b>	<b>2.97%</b>	<b>46</b>	<b>0.27%</b>	<b>1899</b>	<b>11.10%</b>
35-64	M	1448	12.08%	390	3.25%	19	0.16%	1365	11.39%
	F	1141	6.70%	318	1.87%	21	0.12%	1060	6.22%
	<b>Total</b>	<b>2589</b>	<b>8.92%</b>	<b>708</b>	<b>2.44%</b>	<b>40</b>	<b>0.14%</b>	<b>2425</b>	<b>8.35%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	1	4.69%	0	0.00%	0	0.00%	1	4.69%
	<b>Total</b>	<b>1</b>	<b>2.54%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.54%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>3549</b>	<b>6.84%</b>	<b>998</b>	<b>1.92%</b>	<b>61</b>	<b>0.12%</b>	<b>3347</b>	<b>6.45%</b>
	<b>F</b>	<b>2926</b>	<b>4.47%</b>	<b>846</b>	<b>1.29%</b>	<b>70</b>	<b>0.11%</b>	<b>2728</b>	<b>4.17%</b>
	<b>Total</b>	<b>6475</b>	<b>5.52%</b>	<b>1844</b>	<b>1.57%</b>	<b>131</b>	<b>0.11%</b>	<b>6075</b>	<b>5.18%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	33821	31151	64972	33821	31151	64972	33821	31151	64972	33821	31151	64972
13-17	15408	14320	29728	15408	14320	29728	15408	14320	29728	15408	14320	29728
18-64	132390	166315	298705	132390	166315	298705	132390	166315	298705	132390	166315	298705
65+	2288	1984	4272	2288	1984	4272	2288	1984	4272	2288	1984	4272
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	180	6.39%	3	0.11%	2	0.07%	179	6.35%
	F	122	4.70%	1	0.04%	3	0.12%	121	4.66%
	<b>Total</b>	<b>302</b>	<b>5.58%</b>	<b>4</b>	<b>0.07%</b>	<b>5</b>	<b>0.09%</b>	<b>300</b>	<b>5.54%</b>
13-17	M	174	13.55%	13	1.01%	8	0.62%	173	13.47%
	F	156	13.07%	14	1.17%	9	0.75%	155	12.99%
	<b>Total</b>	<b>330</b>	<b>13.32%</b>	<b>27</b>	<b>1.09%</b>	<b>17</b>	<b>0.69%</b>	<b>328</b>	<b>13.24%</b>
18-64	M	722	6.54%	26	0.24%	9	0.08%	719	6.52%
	F	1400	10.10%	34	0.25%	22	0.16%	1394	10.06%
	<b>Total</b>	<b>2122</b>	<b>8.52%</b>	<b>60</b>	<b>0.24%</b>	<b>31</b>	<b>0.12%</b>	<b>2113</b>	<b>8.49%</b>
65+	M	11	5.77%	1	0.52%	0	0.00%	10	5.24%
	F	7	4.23%	0	0.00%	0	0.00%	7	4.23%
	<b>Total</b>	<b>18</b>	<b>5.06%</b>	<b>1</b>	<b>0.28%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	<b>4.78%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>1087</b>	<b>7.09%</b>	<b>43</b>	<b>0.28%</b>	<b>19</b>	<b>0.12%</b>	<b>1081</b>	<b>7.05%</b>
	<b>F</b>	<b>1685</b>	<b>9.46%</b>	<b>49</b>	<b>0.28%</b>	<b>34</b>	<b>0.19%</b>	<b>1677</b>	<b>9.41%</b>
	<b>Total</b>	<b>2772</b>	<b>8.36%</b>	<b>92</b>	<b>0.28%</b>	<b>53</b>	<b>0.16%</b>	<b>2758</b>	<b>8.32%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

## Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	6	6	12	6	6	12	6	6	12	6	6	12
65+	31451	90626	122077	31451	90626	122077	31451	90626	122077	31451	90626	122077
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>	<b>31457</b>	<b>90632</b>	<b>122089</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
65+	M	363	13.85%	98	3.74%	1	0.04%	291	11.10%
	F	1040	13.77%	285	3.77%	9	0.12%	835	11.06%
	<b>Total</b>	<b>1403</b>	<b>13.79%</b>	<b>383</b>	<b>3.76%</b>	<b>10</b>	<b>0.10%</b>	<b>1126</b>	<b>11.07%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>363</b>	<b>13.85%</b>	<b>98</b>	<b>3.74%</b>	<b>1</b>	<b>0.04%</b>	<b>291</b>	<b>11.10%</b>
	<b>F</b>	<b>1040</b>	<b>13.77%</b>	<b>285</b>	<b>3.77%</b>	<b>9</b>	<b>0.12%</b>	<b>835</b>	<b>11.06%</b>
	<b>Total</b>	<b>1403</b>	<b>13.79%</b>	<b>383</b>	<b>3.76%</b>	<b>10</b>	<b>0.10%</b>	<b>1126</b>	<b>11.07%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

## Minnesota Health Care Programs - Managed Care(MHCP-MC)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	272150	263022	535172	272150	263022	535172	272150	263022	535172	272150	263022	535172
13-17	75060	74356	149416	75060	74356	149416	75060	74356	149416	75060	74356	149416
18-64	275006	447429	722435	275006	447429	722435	275006	447429	722435	275006	447429	722435
65+	216	256	472	216	256	472	216	256	472	216	256	472
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	2962	13.06%	50	0.22%	47	0.21%	2959	13.05%
	F	2017	9.20%	34	0.16%	21	0.10%	2016	9.20%
	<b>Total</b>	<b>4979</b>	<b>11.16%</b>	<b>84</b>	<b>0.19%</b>	<b>68</b>	<b>0.15%</b>	<b>4975</b>	<b>11.16%</b>
13-17	M	1395	22.30%	83	1.33%	43	0.69%	1392	22.25%
	F	1534	24.76%	142	2.29%	49	0.79%	1526	24.63%
	<b>Total</b>	<b>2929</b>	<b>23.52%</b>	<b>225</b>	<b>1.81%</b>	<b>92</b>	<b>0.74%</b>	<b>2918</b>	<b>23.44%</b>
18-64	M	4147	18.10%	276	1.20%	112	0.49%	4100	17.89%
	F	8965	24.04%	455	1.22%	291	0.78%	8920	23.92%
	<b>Total</b>	<b>13112</b>	<b>21.78%</b>	<b>731</b>	<b>1.21%</b>	<b>403</b>	<b>0.67%</b>	<b>13020</b>	<b>21.63%</b>
65+	M	2	11.11%	0	0.00%	0	0.00%	2	11.11%
	F	2	9.38%	0	0.00%	0	0.00%	2	9.38%
	<b>Total</b>	<b>4</b>	<b>10.17%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>10.17%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>8506</b>	<b>16.40%</b>	<b>409</b>	<b>0.79%</b>	<b>202</b>	<b>0.39%</b>	<b>8453</b>	<b>16.30%</b>
	<b>F</b>	<b>12518</b>	<b>19.13%</b>	<b>631</b>	<b>0.96%</b>	<b>361</b>	<b>0.55%</b>	<b>12464</b>	<b>19.05%</b>
	<b>Total</b>	<b>21024</b>	<b>17.92%</b>	<b>1040</b>	<b>0.89%</b>	<b>563</b>	<b>0.48%</b>	<b>20917</b>	<b>17.83%</b>

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Board Certification

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### MSHO

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	1164	751	64.52%
Internal Medicine	548	402	73.36%
Geriatricians	37	15	40.54%
Other practitioner Specialists	1579	1148	72.70%

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Board Certification

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### SNBC

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	1164	751	64.52%
Internal Medicine	548	402	73.36%
Geriatricians	37	15	40.54%
Other practitioner Specialists	1579	1148	72.70%

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Commercial

	Member Months		
	Male	Female	Total
<1	2221	1994	4215
1-4	9644	8726	18370
5-9	13445	12448	25893
10-14	14619	13506	28125
15-17	9300	8797	18097
18-19	6047	6118	12165
<b>0-19 Subtotal</b>	<b>55276</b>	<b>51589</b>	<b>106865</b>
<b>0-19 Subtotal: %</b>	<b>30.06%</b>	<b>24.13%</b>	<b>26.87%</b>
20-24	12356	14097	26453
25-29	9521	13646	23167
30-34	11132	14488	25620
35-39	12473	14804	27277
40-44	14823	18287	33110
<b>20-44 Subtotal</b>	<b>60305</b>	<b>75322</b>	<b>135627</b>
<b>20-44 Subtotal: %</b>	<b>32.79%</b>	<b>35.24%</b>	<b>34.10%</b>
45-49	17164	21930	39094
50-54	17932	22346	40278
55-59	17236	22683	39919
60-64	13706	17916	31622
<b>45-64 Subtotal</b>	<b>66038</b>	<b>84875</b>	<b>150913</b>
<b>45-64 Subtotal: %</b>	<b>35.91%</b>	<b>39.70%</b>	<b>37.95%</b>
65-69	1817	1657	3474
70-74	353	278	631
75-79	65	37	102
80-84	41	12	53
85-89	0	0	0
>=90	12	0	12
<b>&gt;=65 Subtotal</b>	<b>2288</b>	<b>1984</b>	<b>4272</b>
<b>&gt;=65 Subtotal: %</b>	<b>1.24%</b>	<b>0.93%</b>	<b>1.07%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>183907</b>	<b>213770</b>	<b>397677</b>

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Medicare Advantage

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
<b>0-19 Subtotal</b>	NR	NR	NR
<b>0-19 Subtotal: %</b>	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
<b>20-44 Subtotal</b>	NR	NR	NR
<b>20-44 Subtotal: %</b>	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
<b>45-64 Subtotal</b>	NR	NR	NR
<b>45-64 Subtotal: %</b>	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
<b>&gt;=65 Subtotal</b>	NR	NR	NR
<b>&gt;=65 Subtotal: %</b>	NR	NR	NR
<b>Age Unknown</b>			NR
<b>Total</b>	NR	NR	NR

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

MSHO

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

SNBC

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:02 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

	Member Months		
	Male	Female	Total
<1	32482	30597	63079
1-4	95192	90776	185968
5-9	95607	93751	189358
10-14	79920	77952	157872
15-17	44009	44302	88311
18-19	24374	29911	54285
<b>0-19 Subtotal</b>	<b>371584</b>	<b>367289</b>	<b>738873</b>
<b>0-19 Subtotal: %</b>	<b>59.70%</b>	<b>46.78%</b>	<b>52.50%</b>
20-24	37101	77454	114555
25-29	36950	77735	114685
30-34	32721	57868	90589
35-39	27393	46161	73554
40-44	27521	40716	68237
<b>20-44 Subtotal</b>	<b>161686</b>	<b>299934</b>	<b>461620</b>
<b>20-44 Subtotal: %</b>	<b>25.98%</b>	<b>38.21%</b>	<b>32.80%</b>
45-49	30615	41644	72259
50-54	26925	33743	60668
55-59	18997	23589	42586
60-64	12409	18608	31017
<b>45-64 Subtotal</b>	<b>88946</b>	<b>117584</b>	<b>206530</b>
<b>45-64 Subtotal: %</b>	<b>14.29%</b>	<b>14.98%</b>	<b>14.67%</b>
65-69	141	209	350
70-74	44	21	65
75-79	19	9	28
80-84	9	0	9
85-89	3	15	18
>=90	0	2	2
<b>&gt;=65 Subtotal</b>	<b>216</b>	<b>256</b>	<b>472</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.03%</b>	<b>0.03%</b>	<b>0.03%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>622432</b>	<b>785063</b>	<b>1407495</b>