

# Contents

Appendix I: Medical Cannabis Products Purchased Prior to Initial $\geq 30\%$ Symptom Improvement.....	I-2
Standard 8 Symptoms.....	I-3
ANXIETY.....	I-3
APPETITE LACK.....	I-6
DEPRESSION.....	I-9
DISTURBED SLEEP.....	I-12
FATIGUE.....	I-15

APPENDIX I: MEDICAL CANNABIS PRODUCTS PURCHASED PRIOR TO INITIAL  $\geq 30\%$  SYMPTOM IMPROVEMENT

NAUSEA ..... I-18  
PAIN ..... I-21  
VOMITING ..... I-24  
PEG Scale Composite Score ..... I-26

# Appendix I: Medical Cannabis Products Purchased Prior to Initial $\geq 30\%$ Symptom Improvement

This appendix contains tables displaying the medical cannabis product type(s) that were purchased just prior a patient's initial  $\geq 30\%$  Standard 8 symptom reduction (Tables 1-8) as well as product type(s) purchased just prior to a patient's initial  $\geq 30\%$  reduction on the PEG composite score (Table 9). This appendix accompanies results presented in the section: *Benefits Reported on the Patient Self-Evaluation*.

For each table, products are categorized by their THC:CBD ratio and intended route of administration. Please note that stratification via the topical route of administration is omitted from the tables—this was done as a space-saving measure (none of the medical cannabis products purchased just prior to any initial symptom improvement fell into the topical product category).

## Standard 8 Symptoms

### ANXIETY

**Table 1. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in anxiety (Standard 8).**

Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	% of Patients out of 965 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
					X										18.3 (177)	65.6 mg / 0.5 mg
		X			X										15.4 (149)	70.6 mg / 25.0 mg
					X		X								7.8 (75)	87.3 mg / 23.4 mg
X					X										6.9 (67)	88.0 mg / 0.5 mg
		X													6.8 (66)	32.3 mg / 23.8 mg
X		X													4.1 (40)	49.6 mg / 19.7 mg
		X								X					4.1 (40)	64.0 mg / 34.7 mg
		X					X								3.7 (36)	129.4 mg / 99.3 mg
							X								3.5 (34)	78.1 mg / 64.2 mg
X															3.1 (30)	17.2 mg / 0.1 mg
X					X		X								2.1 (20)	83.6 mg / 15.8 mg
X		X			X		X								2.0 (19)	82.6 mg / 20.8 mg
		X			X		X								1.9 (18)	215.4 mg / 67.9 mg
X		X			X										1.7 (16)	86.4 mg / 13.3 mg
										X					1.6 (15)	40.3 mg / 0.1 mg
			X												1.3 (13)	5.3 mg / 102.9 mg
X							X								1.0 (10)	47.7 mg / 14.9 mg
					X	X									0.9 (9)	290.1 mg / 9.6 mg
					X					X					0.9 (9)	113.3 mg / 0.7 mg
										X		X			0.9 (9)	39.1 mg / 15.4 mg

**Table 1 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in anxiety (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 965 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
						X									0.8 (8)	97.2 mg / 5.4 mg
					X							X			0.7 (7)	50.3 mg / 17.1 mg
												X			0.7 (7)	28.5 mg / 28.5 mg
		X	X												0.6 (6)	19.3 mg / 92.2 mg
		X			X					X					0.6 (6)	111.6 mg / 27.7 mg
			X		X										0.6 (6)	58.5 mg / 74.6 mg
	X				X										0.5 (5)	277.4 mg / 10.0 mg
X			X												0.4 (4)	29.4 mg / 107.0 mg
X										X					0.4 (4)	65.7 mg / 0.2 mg
	X														0.4 (4)	99.4 mg / 5.8 mg
			X				X								0.4 (4)	49.0 mg / 103.2 mg
X						X									0.3 (3)	233.5 mg / 10.6 mg
		X										X			0.3 (3)	35.0 mg / 35.0 mg
			X		X		X								0.3 (3)	113.9 mg / 98.0 mg
X		X	X		X		X								0.2 (2)	102.9 mg / 111.9 mg
X		X					X								0.2 (2)	55.4 mg / 12.2 mg
X		X								X					0.2 (2)	59.0 mg / 20.1 mg
X		X										X			0.2 (2)	36.7 mg / 20.0 mg
X			X							X					0.2 (2)	380.8 mg / 754.2 mg
	X	X			X		X								0.2 (2)	140.1 mg / 31.6 mg
						X	X								0.2 (2)	53.6 mg / 22.5 mg
							X			X					0.2 (2)	42.2 mg / 22.6 mg
							X					X			0.2 (2)	43.5 mg / 28.5 mg
X	X	X													0.1 (1)	169.8 mg / 23.3 mg
X	X				X										0.1 (1)	128.0 mg / 3.2 mg

**Table 1 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in anxiety (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 965 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X	X														0.1 (1)	61.3 mg / 6.0 mg
X		X				X									0.1 (1)	79.7 mg / 3.8 mg
X			X		X		X								0.1 (1)	125.0 mg / 105.4 mg
X			X							X		X			0.1 (1)	40.7 mg / 88.8 mg
X					X					X		X			0.1 (1)	51.9 mg / 9.0 mg
X					X					X					0.1 (1)	72.7 mg / 0.4 mg
X												X			0.1 (1)	37.3 mg / 27.3 mg
	X	X													0.1 (1)	125.0 mg / 49.5 mg
	X				X		X								0.1 (1)	131.7 mg / 18.1 mg
	X					X									0.1 (1)	266.0 mg / 15.6 mg
	X						X								0.1 (1)	71.3 mg / 15.9 mg
		X	X				X								0.1 (1)	29.4 mg / 67.4 mg
		X			X							X			0.1 (1)	123.2 mg / 91.9 mg
		X				X	X								0.1 (1)	117.5 mg / 70.3 mg
		X				X									0.1 (1)	76.0 mg / 42.4 mg
		X								X		X			0.1 (1)	88.9 mg / 70.2 mg
			X		X	X	X								0.1 (1)	535.0 mg / 196.2 mg
			X		X							X			0.1 (1)	34.6 mg / 57.6 mg
			X							X					0.1 (1)	16.0 mg / 80.0 mg
			X									X			0.1 (1)	15.6 mg / 53.6 mg
					X	X	X								0.1 (1)	355.0 mg / 74.2 mg
					X		X						X		0.1 (1)	237.8 mg / 219.4 mg
													X		0.1 (1)	3.1 mg / 59.4 mg

**APPETITE LACK**

**Table 2. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in lack of appetite (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 708 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										19.4 (137)	67.9 mg / 0.5 mg
		X			X										15.7 (111)	72.3 mg / 25.9 mg
					X		X								8.6 (61)	85.7 mg / 20.3 mg
X					X										6.1 (43)	116.2 mg / 0.7 mg
		X													5.9 (42)	33.1 mg / 27.8 mg
X		X													4.5 (32)	71.0 mg / 30.6 mg
		X								X					3.8 (27)	66.0 mg / 37.0 mg
							X								3.7 (26)	95.5 mg / 77.7 mg
X															3.0 (21)	31.2 mg / 0.1 mg
		X					X								3.0 (21)	176.3 mg / 152.9 mg
		X			X		X								2.5 (18)	193.4 mg / 61.9 mg
X		X			X		X								1.6 (11)	109.1 mg / 36.4 mg
X					X		X								1.6 (11)	85.7 mg / 19.7 mg
X		X			X										1.4 (10)	90.6 mg / 12.0 mg
						X									1.4 (10)	109.4 mg / 6.0 mg
										X					1.3 (9)	37.4 mg / 0.1 mg
X							X								1.1 (8)	60.7 mg / 20.5 mg
					X							X			1.1 (8)	56.5 mg / 18.1 mg
		X			X					X					1.0 (7)	109.9 mg / 37.6 mg
										X		X			1.0 (7)	43.2 mg / 20.4 mg
	X				X										0.8 (6)	164.9 mg / 6.8 mg
			X		X										0.8 (6)	66.9 mg / 75.9 mg
												X			0.8 (6)	21.3 mg / 15.7 mg
X										X					0.7 (5)	54.8 mg / 0.2 mg

**Table 2 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in lack of appetite (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 708 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
			X												0.7 (5)	4.0 mg / 77.5 mg
					X	X									0.7 (5)	237.3 mg / 7.0 mg
	X	X			X		X								0.6 (4)	170.4 mg / 45.7 mg
	X														0.6 (4)	47.6 mg / 5.6 mg
		X	X												0.6 (4)	37.9 mg / 156.9 mg
			X				X								0.6 (4)	28.3 mg / 101.4 mg
			X							X					0.6 (4)	24.6 mg / 61.6 mg
X					X					X					0.4 (3)	91.8 mg / 0.5 mg
		X										X			0.4 (3)	40.1 mg / 40.1 mg
X		X					X								0.3 (2)	38.9 mg / 16.1 mg
X		X								X					0.3 (2)	64.0 mg / 25.1 mg
	X					X									0.3 (2)	227.5 mg / 13.4 mg
					X	X	X								0.3 (2)	172.5 mg / 49.2 mg
					X					X					0.3 (2)	117.5 mg / 0.8 mg
X	X														0.1 (1)	78.1 mg / 9.2 mg
X		X	X		X		X								0.1 (1)	82.5 mg / 75.3 mg
X			X	X	X		X					X			0.1 (1)	193.2 mg / 225.8 mg
X			X							X					0.1 (1)	24.0 mg / 80.1 mg
X			X												0.1 (1)	14.0 mg / 120.0 mg
	X	X			X	X	X								0.1 (1)	365.3 mg / 111.6 mg
	X	X													0.1 (1)	59.3 mg / 13.5 mg
	X				X		X								0.1 (1)	138.1 mg / 39.6 mg
	X						X								0.1 (1)	71.3 mg / 15.9 mg
		X	X				X								0.1 (1)	29.4 mg / 67.4 mg
		X	X									X			0.1 (1)	20.7 mg / 58.7 mg



**Table 2 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in lack of appetite (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 708 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
		X			X	X	X								0.1 (1)	286.0 mg / 93.4 mg
		X			X		X			X		X			0.1 (1)	136.6 mg / 64.1 mg
		X				X									0.1 (1)	25.0 mg / 6.1 mg
		X					X			X					0.1 (1)	39.4 mg / 27.5 mg
		X								X		X			0.1 (1)	88.9 mg / 70.2 mg
			X		X	X	X								0.1 (1)	535.0 mg / 196.2 mg
					X		X					X			0.1 (1)	68.0 mg / 36.7 mg
							X			X					0.1 (1)	63.6 mg / 36.4 mg

**DEPRESSION**

**Table 3. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in depression (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 866 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										17.0 (147)	68.4 mg / 0.5 mg
		X			X										15.1 (131)	73.8 mg / 26.8 mg
					X		X								8.5 (74)	93.8 mg / 22.6 mg
		X													7.2 (62)	36.9 mg / 27.4 mg
X					X										6.8 (59)	105.5 mg / 0.6 mg
X		X													4.8 (42)	31.7 mg / 16.2 mg
		X								X					4.0 (35)	66.2 mg / 36.6 mg
		X					X								3.8 (33)	71.5 mg / 44.8 mg
X															3.3 (29)	159.8 mg / 0.4 mg
		X			X		X								3.2 (28)	196.3 mg / 60.3 mg
							X								2.9 (25)	34.1 mg / 20.4 mg
										X					1.7 (15)	36.1 mg / 0.1 mg
X		X			X		X								1.6 (14)	114.1 mg / 36.0 mg
X		X			X										1.4 (12)	88.8 mg / 14.3 mg
X					X		X								1.2 (10)	62.0 mg / 15.0 mg
					X	X									1.2 (10)	302.8 mg / 10.1 mg
		X	X												1.0 (9)	22.8 mg / 111.1 mg
			X												1.0 (9)	4.1 mg / 96.9 mg
					X							X			1.0 (9)	54.5 mg / 18.4 mg
	X				X										0.9 (8)	191.8 mg / 8.1 mg
		X			X					X					0.9 (8)	114.0 mg / 26.8 mg
					X					X					0.9 (8)	114.9 mg / 0.7 mg
										X		X			0.9 (8)	49.6 mg / 19.7 mg
												X			0.9 (8)	22.6 mg / 20.7 mg

**Table 3 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in depression (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 866 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X							X								0.8 (7)	56.7 mg / 18.3 mg
						X									0.8 (7)	85.1 mg / 4.4 mg
X										X					0.5 (4)	60.2 mg / 0.2 mg
	X														0.5 (4)	71.2 mg / 5.2 mg
			X		X										0.5 (4)	63.7 mg / 91.7 mg
			X							X					0.5 (4)	26.3 mg / 41.6 mg
X		X								X					0.3 (3)	54.3 mg / 20.1 mg
X					X					X					0.3 (3)	70.0 mg / 0.4 mg
			X		X		X								0.3 (3)	121.8 mg / 95.9 mg
X			X							X					0.2 (2)	380.8 mg / 754.2 mg
	X	X			X		X								0.2 (2)	219.5 mg / 64.0 mg
		X										X			0.2 (2)	34.3 mg / 34.3 mg
					X	X	X								0.2 (2)	225.0 mg / 50.3 mg
X	X	X													0.1 (1)	169.8 mg / 23.3 mg
X	X														0.1 (1)	61.3 mg / 6.0 mg
X		X	X		X		X								0.1 (1)	123.2 mg / 148.6 mg
X		X			X					X					0.1 (1)	177.2 mg / 31.0 mg
X		X			X							X			0.1 (1)	84.7 mg / 6.3 mg
X		X					X								0.1 (1)	21.8 mg / 6.1 mg
X			X		X		X								0.1 (1)	125.0 mg / 105.4 mg
X			X		X										0.1 (1)	97.5 mg / 143.0 mg
X			X												0.1 (1)	37.5 mg / 142.7 mg
X					X					X		X			0.1 (1)	54.6 mg / 17.7 mg
X												X			0.1 (1)	37.3 mg / 27.3 mg
	X	X					X								0.1 (1)	77.6 mg / 18.6 mg

**Table 3 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in depression (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 866 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
	X	X													0.1 (1)	59.3 mg / 13.5 mg
	X				X		X								0.1 (1)	131.7 mg / 18.1 mg
	X						X								0.1 (1)	71.3 mg / 15.9 mg
		X			X	X	X								0.1 (1)	286.0 mg / 93.4 mg
		X				X									0.1 (1)	25.0 mg / 6.1 mg
		X								X		X			0.1 (1)	88.9 mg / 70.2 mg
			X	X	X										0.1 (1)	41.8 mg / 295.2 mg
			X		X	X	X								0.1 (1)	603.8 mg / 128.4 mg
			X		X					X					0.1 (1)	86.8 mg / 40.6 mg
			X		X							X			0.1 (1)	34.6 mg / 57.6 mg
			X				X								0.1 (1)	27.5 mg / 147.5 mg
					X		X						X		0.1 (1)	237.8 mg / 219.4 mg
							X			X					0.1 (1)	63.6 mg / 36.4 mg
							X					X			0.1 (1)	26.2 mg / 26.2 mg

**DISTURBED SLEEP**

**Table 4. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in sleep disturbance (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 1102 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										17.8 (196)	69.6 mg / 0.5 mg
		X			X										12.9 (142)	72.4 mg / 23.9 mg
					X		X								8.5 (94)	157.1 mg / 24.3 mg
		X													6.8 (75)	33.4 mg / 25.4 mg
X					X										6.7 (74)	97.1 mg / 0.5 mg
X		X													4.7 (52)	50.1 mg / 21.1 mg
X															4.4 (48)	23.1 mg / 0.1 mg
		X								X					3.7 (41)	64.8 mg / 34.7 mg
		X			X		X								3.6 (40)	186.9 mg / 58.5 mg
							X								3.4 (38)	186.9 mg / 167.1 mg
		X					X								3.0 (33)	48.8 mg / 28.4 mg
X		X			X		X								2.5 (28)	129.9 mg / 41.4 mg
X		X			X										2.4 (26)	87.3 mg / 14.6 mg
X					X		X								1.7 (19)	86.7 mg / 16.6 mg
										X					1.4 (15)	38.1 mg / 0.1 mg
												X			1.2 (13)	27.4 mg / 26.3 mg
			X												1.0 (11)	5.7 mg / 122.2 mg
					X							X			1.0 (11)	50.5 mg / 16.7 mg
					X	X									0.9 (10)	266.1 mg / 8.3 mg
X							X								0.8 (9)	52.4 mg / 16.0 mg
	X				X										0.8 (9)	167.0 mg / 7.7 mg
						X									0.7 (8)	136.4 mg / 6.2 mg
										X		X			0.7 (8)	38.4 mg / 18.2 mg
	X														0.6 (7)	141.9 mg / 22.2 mg

**Table 4 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in sleep disturbance (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 1102 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X										X					0.5 (6)	66.8 mg / 0.2 mg
		X			X					X					0.5 (6)	107.9 mg / 27.6 mg
			X		X										0.5 (6)	58.8 mg / 84.6 mg
X					X					X					0.5 (5)	85.9 mg / 0.5 mg
					X					X					0.5 (5)	105.6 mg / 0.6 mg
X		X					X								0.4 (4)	70.6 mg / 23.8 mg
X		X								X					0.4 (4)	48.9 mg / 12.6 mg
		X	X												0.4 (4)	18.7 mg / 136.5 mg
		X										X			0.4 (4)	626.3 mg / 626.3 mg
			X				X								0.4 (4)	42.4 mg / 159.0 mg
			X		X		X								0.3 (3)	62.8 mg / 76.5 mg
			X							X					0.3 (3)	33.0 mg / 80.1 mg
					X	X	X								0.3 (3)	336.7 mg / 49.3 mg
X	X														0.2 (2)	112.0 mg / 6.2 mg
X		X	X												0.2 (2)	348.3 mg / 135.8 mg
X		X										X			0.2 (2)	36.7 mg / 20.0 mg
X			X												0.2 (2)	25.0 mg / 142.6 mg
X						X									0.2 (2)	85.0 mg / 4.0 mg
		X			X							X			0.2 (2)	110.5 mg / 79.7 mg
			X		X	X	X								0.2 (2)	569.4 mg / 162.3 mg
						X	X								0.2 (2)	71.1 mg / 24.3 mg
							X					X			0.2 (2)	43.5 mg / 28.5 mg
X	X	X													0.1 (1)	169.8 mg / 23.3 mg
X	X				X	X									0.1 (1)	428.3 mg / 16.2 mg
X	X				X										0.1 (1)	128.0 mg / 3.2 mg

**Table 4 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in sleep disturbance (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 1102 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X		X	X		X		X								0.1 (1)	82.5 mg / 75.3 mg
X		X			X		X			X					0.1 (1)	176.9 mg / 24.5 mg
X		X			X					X					0.1 (1)	121.0 mg / 20.6 mg
X			X		X		X								0.1 (1)	125.0 mg / 105.4 mg
X			X				X			X					0.1 (1)	145.3 mg / 266.4 mg
X			X							X					0.1 (1)	49.5 mg / 40.2 mg
X					X		X			X					0.1 (1)	128.3 mg / 27.9 mg
X												X			0.1 (1)	37.3 mg / 27.3 mg
	X	X													0.1 (1)	50.0 mg / 29.7 mg
	X		X												0.1 (1)	66.7 mg / 85.0 mg
		X					X								0.1 (1)	25.0 mg / 6.1 mg
		X								X		X			0.1 (1)	184.8 mg / 147.4 mg
			X	X	X										0.1 (1)	41.8 mg / 295.2 mg
			X		X							X			0.1 (1)	34.6 mg / 57.6 mg
			X									X			0.1 (1)	29.3 mg / 67.3 mg
					X					X		X			0.1 (1)	47.9 mg / 9.0 mg
							X			X					0.1 (1)	63.6 mg / 36.4 mg

**FATIGUE**

**Table 5. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in fatigue (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 920 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										19.1 (176)	72.6 mg / 0.5 mg
		X			X										12.4 (114)	72.2 mg / 24.2 mg
					X		X								8.0 (74)	91.2 mg / 23.1 mg
		X													6.7 (62)	34.0 mg / 28.4 mg
X					X										6.6 (61)	108.6 mg / 0.6 mg
X		X													4.7 (43)	43.5 mg / 18.3 mg
X															4.7 (43)	24.6 mg / 0.1 mg
							X								4.2 (39)	42.5 mg / 21.9 mg
		X								X					3.4 (31)	60.7 mg / 33.8 mg
		X					X								3.3 (30)	133.8 mg / 112.2 mg
		X			X		X								2.4 (22)	205.2 mg / 66.6 mg
X					X		X								1.8 (17)	85.3 mg / 16.8 mg
X		X			X		X								1.6 (15)	120.8 mg / 35.1 mg
X		X			X										1.4 (13)	73.2 mg / 9.8 mg
										X					1.3 (12)	28.8 mg / 0.1 mg
X							X								1.2 (11)	49.1 mg / 18.5 mg
					X	X									1.2 (11)	281.7 mg / 8.8 mg
	X				X										1.0 (9)	179.2 mg / 7.2 mg
			X												1.0 (9)	5.1 mg / 116.2 mg
										X		X			1.0 (9)	45.3 mg / 20.5 mg
					X							X			0.9 (8)	63.5 mg / 21.5 mg
												X			0.9 (8)	26.1 mg / 24.2 mg
						X									0.8 (7)	118.3 mg / 5.4 mg
X										X					0.7 (6)	57.3 mg / 0.2 mg



**Table 5 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in fatigue (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 920 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X		X					X								0.5 (5)	41.6 mg / 19.5 mg
	X														0.5 (5)	150.0 mg / 28.2 mg
		X	X												0.5 (5)	15.8 mg / 88.3 mg
		X			X					X					0.5 (5)	113.0 mg / 49.5 mg
			X				X								0.5 (5)	47.0 mg / 125.7 mg
					X					X					0.5 (5)	101.3 mg / 0.6 mg
			X		X										0.4 (4)	72.2 mg / 83.6 mg
X		X										X			0.3 (3)	29.2 mg / 15.4 mg
X						X									0.3 (3)	45.8 mg / 1.6 mg
		X				X									0.3 (3)	81.1 mg / 28.9 mg
		X										X			0.3 (3)	41.6 mg / 27.1 mg
			X							X					0.3 (3)	32.4 mg / 68.8 mg
X			X		X		X								0.2 (2)	119.1 mg / 81.6 mg
X			X												0.2 (2)	16.5 mg / 66.2 mg
X												X			0.2 (2)	33.8 mg / 19.8 mg
	X				X		X								0.2 (2)	369.0 mg / 100.1 mg
	X					X									0.2 (2)	312.8 mg / 18.4 mg
		X			X							X			0.2 (2)	110.5 mg / 79.7 mg
					X	X	X								0.2 (2)	225.0 mg / 50.3 mg
						X	X								0.2 (2)	71.1 mg / 24.3 mg
							X			X					0.2 (2)	64.2 mg / 31.9 mg
							X					X			0.2 (2)	43.5 mg / 28.5 mg
X	X	X													0.1 (1)	169.8 mg / 23.3 mg
X	X				X	X									0.1 (1)	428.3 mg / 16.2 mg
X	X				X										0.1 (1)	249.8 mg / 9.4 mg

**Table 5 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in fatigue (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 920 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X	X														0.1 (1)	77.5 mg / 11.8 mg
X		X	X		X		X								0.1 (1)	123.2 mg / 148.6 mg
X		X			X					X					0.1 (1)	177.2 mg / 31.0 mg
X		X								X					0.1 (1)	87.5 mg / 30.2 mg
X			X		X										0.1 (1)	97.5 mg / 143.0 mg
X			X							X					0.1 (1)	49.5 mg / 40.2 mg
X					X					X					0.1 (1)	101.0 mg / 0.5 mg
	X	X													0.1 (1)	50.0 mg / 29.7 mg
	X						X								0.1 (1)	71.3 mg / 15.9 mg
		X	X							X					0.1 (1)	42.0 mg / 60.1 mg
		X			X	X									0.1 (1)	139.0 mg / 6.3 mg
		X				X	X								0.1 (1)	117.5 mg / 70.3 mg
			X		X	X	X								0.1 (1)	603.8 mg / 128.4 mg
			X		X		X								0.1 (1)	50.6 mg / 58.4 mg
			X		X							X			0.1 (1)	34.6 mg / 57.6 mg
			X									X			0.1 (1)	20.2 mg / 58.2 mg
					X		X			X					0.1 (1)	124.7 mg / 36.9 mg
					X		X						X		0.1 (1)	237.8 mg / 219.4 mg

**NAUSEA**

**Table 6. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in nausea (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 662 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										18.9 (125)	72.7 mg / 0.5 mg
		X			X										15.4 (102)	76.5 mg / 26.1 mg
					X		X								9.1 (60)	96.6 mg / 24.2 mg
X					X										6.0 (40)	96.7 mg / 0.6 mg
X		X													4.4 (29)	41.6 mg / 20.4 mg
		X													4.1 (27)	38.2 mg / 35.8 mg
		X								X					3.9 (26)	59.9 mg / 31.0 mg
							X								3.8 (25)	37.5 mg / 21.5 mg
		X			X		X								3.2 (21)	235.2 mg / 80.2 mg
X															2.9 (19)	24.5 mg / 0.1 mg
		X					X								2.9 (19)	96.9 mg / 68.8 mg
X		X			X										2.6 (17)	108.0 mg / 16.7 mg
X		X			X		X								2.0 (13)	100.5 mg / 30.4 mg
X					X		X								2.0 (13)	95.8 mg / 17.5 mg
		X			X					X					1.2 (8)	112.7 mg / 35.5 mg
										X					1.2 (8)	43.3 mg / 0.2 mg
	X														1.1 (7)	148.2 mg / 22.0 mg
			X		X										1.1 (7)	62.1 mg / 70.8 mg
			X												1.1 (7)	3.7 mg / 92.8 mg
							X								1.1 (7)	103.1 mg / 6.0 mg
										X		X			1.1 (7)	48.6 mg / 22.7 mg
		X										X			0.9 (6)	39.1 mg / 31.8 mg
X							X								0.8 (5)	65.4 mg / 14.8 mg
												X			0.8 (5)	28.9 mg / 28.9 mg

**Table 6 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in nausea (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 662 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X										X					0.6 (4)	60.5 mg / 0.2 mg
	X				X										0.6 (4)	302.1 mg / 9.3 mg
		X	X												0.6 (4)	39.5 mg / 183.2 mg
					X	X									0.6 (4)	206.1 mg / 6.5 mg
					X							X			0.6 (4)	64.5 mg / 21.3 mg
X			X												0.5 (3)	12.8 mg / 114.2 mg
	X	X			X		X								0.5 (3)	182.5 mg / 47.3 mg
					X					X					0.5 (3)	75.5 mg / 0.4 mg
X		X								X					0.3 (2)	40.0 mg / 20.1 mg
X					X					X					0.3 (2)	86.8 mg / 0.5 mg
	X				X		X								0.3 (2)	185.6 mg / 23.2 mg
		X				X									0.3 (2)	42.9 mg / 9.1 mg
			X				X								0.3 (2)	93.6 mg / 146.2 mg
			X							X					0.3 (2)	34.2 mg / 63.2 mg
X	X				X										0.2 (1)	132.5 mg / 6.2 mg
X		X	X		X		X								0.2 (1)	82.5 mg / 75.3 mg
X		X	X												0.2 (1)	16.5 mg / 98.5 mg
X		X			X	X									0.2 (1)	73.7 mg / 13.7 mg
X		X										X			0.2 (1)	26.7 mg / 9.2 mg
X			X	X	X		X					X			0.2 (1)	193.2 mg / 225.8 mg
X					X		X			X					0.2 (1)	128.3 mg / 27.9 mg
X						X									0.2 (1)	65.0 mg / 2.8 mg
	X				X	X	X								0.2 (1)	295.1 mg / 15.6 mg
		X	X		X										0.2 (1)	495.7 mg / 1521.4 mg
		X								X		X			0.2 (1)	43.8 mg / 31.8 mg

**Table 6 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in nausea (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 662 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
			X		X							X			0.2 (1)	34.6 mg / 57.6 mg
			X									X			0.2 (1)	29.3 mg / 67.3 mg
					X		X			X					0.2 (1)	124.7 mg / 36.9 mg
					X		X					X			0.2 (1)	81.0 mg / 11.5 mg
						X	X								0.2 (1)	67.5 mg / 27.5 mg
							X			X					0.2 (1)	77.3 mg / 27.4 mg
							X					X			0.2 (1)	60.8 mg / 30.8 mg

**PAIN**

**Table 7. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in pain (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 602 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										20.4 (123)	72.3 mg / 0.5 mg
		X			X										10.6 (64)	72.9 mg / 22.2 mg
X					X										8.6 (52)	120.2 mg / 0.6 mg
		X													8.6 (52)	35.0 mg / 30.6 mg
					X		X								7.8 (47)	214.8 mg / 22.4 mg
X		X													5.0 (30)	60.7 mg / 25.4 mg
X															4.5 (27)	19.4 mg / 0.1 mg
							X								4.3 (26)	42.6 mg / 23.4 mg
		X					X								3.0 (18)	56.6 mg / 28.1 mg
		X								X					3.0 (18)	64.7 mg / 34.8 mg
X					X		X								2.3 (14)	78.2 mg / 15.1 mg
		X			X		X								2.3 (14)	155.3 mg / 51.9 mg
X		X			X										1.5 (9)	75.7 mg / 8.9 mg
										X					1.5 (9)	35.6 mg / 0.1 mg
X		X			X		X								1.3 (8)	127.6 mg / 35.6 mg
			X												1.2 (7)	4.1 mg / 100.7 mg
X							X								1.0 (6)	48.6 mg / 24.1 mg
	X				X										0.8 (5)	219.3 mg / 9.6 mg
	X														0.8 (5)	178.7 mg / 27.9 mg
			X				X								0.8 (5)	34.3 mg / 136.9 mg
					X	X									0.8 (5)	363.9 mg / 10.8 mg
					X					X					0.8 (5)	132.2 mg / 0.9 mg
					X							X			0.8 (5)	54.0 mg / 20.1 mg
		X	X												0.7 (4)	18.2 mg / 114.1 mg

**Table 7 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in pain (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 602 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
										X		X			0.7 (4)	20.7 mg / 8.8 mg
X										X					0.5 (3)	74.0 mg / 0.2 mg
			X		X										0.5 (3)	55.1 mg / 177.9 mg
						X	X								0.5 (3)	72.4 mg / 25.0 mg
						X									0.5 (3)	193.3 mg / 6.4 mg
	X	X			X		X								0.3 (2)	140.1 mg / 31.6 mg
	X	X													0.3 (2)	54.6 mg / 27.7 mg
		X				X	X								0.3 (2)	93.0 mg / 49.4 mg
			X							X					0.3 (2)	34.2 mg / 63.2 mg
					X	X	X								0.3 (2)	223.0 mg / 25.0 mg
												X			0.3 (2)	21.2 mg / 11.8 mg
X	X														0.2 (1)	72.1 mg / 9.9 mg
X		X	X												0.2 (1)	680.0 mg / 173.0 mg
X		X					X								0.2 (1)	21.8 mg / 6.1 mg
X		X								X					0.2 (1)	40.0 mg / 20.1 mg
X			X		X		X								0.2 (1)	125.0 mg / 105.4 mg
X			X		X										0.2 (1)	70.7 mg / 95.3 mg
X			X												0.2 (1)	12.5 mg / 142.5 mg
X					X					X					0.2 (1)	101.0 mg / 0.5 mg
X										X		X			0.2 (1)	86.9 mg / 35.0 mg
		X	X							X					0.2 (1)	42.0 mg / 60.1 mg
		X			X					X					0.2 (1)	127.9 mg / 43.4 mg
		X										X			0.2 (1)	65.5 mg / 22.0 mg
			X	X	X										0.2 (1)	41.8 mg / 295.2 mg
			X		X					X					0.2 (1)	86.8 mg / 40.6 mg

**Table 7 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in pain (Standard 8).**

Enteral					Inhalation					Oromucosal						
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	% of Patients out of 602 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
			X			X	X								0.2 (1)	120.3 mg / 213.7 mg
			X									X			0.2 (1)	20.2 mg / 58.2 mg



**VOMITING**

**Table 8. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction in vomiting (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 317 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										21.5 (68)	70.4 mg / 0.4 mg
		X			X										15.1 (48)	90.2 mg / 32.2 mg
					X		X								9.8 (31)	79.6 mg / 21.5 mg
X					X										9.5 (30)	112.2 mg / 0.6 mg
		X			X		X								4.7 (15)	202.7 mg / 69.9 mg
		X													3.8 (12)	53.2 mg / 51.6 mg
X		X													3.5 (11)	123.6 mg / 54.7 mg
X		X			X		X								3.2 (10)	108.7 mg / 40.9 mg
		X								X					2.8 (9)	66.4 mg / 34.0 mg
							X								2.8 (9)	47.4 mg / 21.7 mg
X					X		X								2.2 (7)	89.8 mg / 14.7 mg
		X			X					X					2.2 (7)	121.1 mg / 37.7 mg
		X					X								2.2 (7)	114.1 mg / 103.9 mg
	X				X										1.6 (5)	353.7 mg / 9.5 mg
										X		X			1.6 (5)	44.2 mg / 20.7 mg
X		X			X										1.3 (4)	74.5 mg / 5.6 mg
	X				X		X								1.3 (4)	185.1 mg / 32.4 mg
			X		X										1.3 (4)	47.3 mg / 79.8 mg
	X														0.9 (3)	58.6 mg / 5.3 mg
X		X								X					0.6 (2)	64.0 mg / 25.1 mg
X							X								0.6 (2)	111.8 mg / 9.0 mg
X															0.6 (2)	20.5 mg / 0.1 mg
			X							X					0.6 (2)	21.7 mg / 63.1 mg
						X									0.6 (2)	95.0 mg / 5.6 mg

**Table 8 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction in vomiting (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 317 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X	X														0.3 (1)	78.1 mg / 9.2 mg
X		X	X		X		X								0.3 (1)	82.5 mg / 75.3 mg
X		X										X			0.3 (1)	26.7 mg / 9.2 mg
X			X							X					0.3 (1)	24.0 mg / 80.1 mg
X			X												0.3 (1)	12.5 mg / 142.5 mg
X					X		X			X					0.3 (1)	128.3 mg / 27.9 mg
X					X					X					0.3 (1)	72.7 mg / 0.4 mg
X						X									0.3 (1)	65.0 mg / 2.8 mg
	X	X			X		X								0.3 (1)	305.0 mg / 87.1 mg
		X				X									0.3 (1)	25.0 mg / 6.1 mg
			X		X							X			0.3 (1)	34.6 mg / 57.6 mg
			X												0.3 (1)	5.2 mg / 99.0 mg
					X	X									0.3 (1)	168.8 mg / 6.6 mg
					X							X			0.3 (1)	48.6 mg / 18.4 mg
						X	X								0.3 (1)	75.0 mg / 26.3 mg
							X					X			0.3 (1)	60.8 mg / 30.8 mg
										X					0.3 (1)	21.4 mg / 0.1 mg
												X			0.3 (1)	17.4 mg / 17.4 mg

## PEG Scale Composite Score

**Table 9. Medical cannabis product type(s) purchased by each Intractable Pain (IP) patient just prior to achieving the initial ≥30% reduction on the PEG Scale composite score (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 899 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
					X										18.6 (167)	69.4 mg / 0.5 mg
		X			X										11.8 (106)	76.6 mg / 26.6 mg
		X													7.6 (68)	34.7 mg / 27.4 mg
					X		X								7.5 (67)	99.7 mg / 23.8 mg
X					X										6.2 (56)	88.5 mg / 0.5 mg
X		X													5.2 (47)	42.5 mg / 16.6 mg
X															4.8 (43)	107.3 mg / 0.2 mg
		X								X					4.6 (41)	61.4 mg / 33.2 mg
		X			X		X								3.4 (31)	196.9 mg / 61.0 mg
							X								3.3 (30)	88.4 mg / 71.6 mg
		X					X								2.9 (26)	63.7 mg / 38.3 mg
X		X			X		X								2.1 (19)	124.8 mg / 31.6 mg
X		X			X										1.9 (17)	82.4 mg / 10.0 mg
X					X		X								1.7 (15)	83.1 mg / 16.9 mg
										X					1.4 (13)	47.4 mg / 0.2 mg
X							X								1.0 (9)	43.1 mg / 22.4 mg
			X												1.0 (9)	5.0 mg / 113.9 mg
										X		X			1.0 (9)	24.0 mg / 10.7 mg
	X				X										0.9 (8)	125.5 mg / 7.2 mg
		X	X												0.9 (8)	29.9 mg / 129.5 mg
					X							X			0.9 (8)	55.8 mg / 19.8 mg
												X			0.9 (8)	31.4 mg / 31.4 mg
			X				X								0.7 (6)	57.1 mg / 580.1 mg
					X					X					0.7 (6)	118.4 mg / 0.8 mg

**Table 9 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction on the PEG Scale composite score (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 899 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
						X									0.7 (6)	83.1 mg / 4.6 mg
X		X					X								0.6 (5)	48.0 mg / 33.1 mg
X										X					0.6 (5)	67.6 mg / 0.3 mg
					X	X									0.6 (5)	375.9 mg / 11.5 mg
	X				X		X								0.4 (4)	123.2 mg / 25.5 mg
		X			X					X					0.4 (4)	107.2 mg / 28.7 mg
			X		X										0.4 (4)	64.7 mg / 106.7 mg
			X							X					0.4 (4)	33.3 mg / 110.1 mg
X						X									0.3 (3)	78.3 mg / 2.4 mg
	X														0.3 (3)	45.1 mg / 5.2 mg
					X	X	X								0.3 (3)	267.0 mg / 41.4 mg
X		X			X					X					0.2 (2)	132.3 mg / 28.2 mg
X					X					X					0.2 (2)	83.8 mg / 0.5 mg
X												X			0.2 (2)	40.3 mg / 27.3 mg
	X	X			X		X								0.2 (2)	140.1 mg / 31.6 mg
						X	X								0.2 (2)	71.1 mg / 24.3 mg
							X					X			0.2 (2)	43.5 mg / 28.5 mg
X	X				X										0.1 (1)	276.2 mg / 9.4 mg
X		X	X		X		X								0.1 (1)	82.5 mg / 75.3 mg
X		X	X		X										0.1 (1)	151.2 mg / 87.1 mg
X		X			X	X									0.1 (1)	73.7 mg / 13.7 mg
X		X								X					0.1 (1)	30.0 mg / 10.1 mg
X			X		X		X								0.1 (1)	125.0 mg / 105.4 mg
X			X		X										0.1 (1)	70.7 mg / 95.3 mg
X			X							X					0.1 (1)	49.5 mg / 40.2 mg

**Table 9 cont. Medical cannabis product type(s) purchased by each IP patient just prior to achieving the initial ≥30% reduction on the PEG Scale composite score (Standard 8).**

Enteral					Inhalation					Oromucosal					% of Patients out of 899 (n)	Avg Daily THC Use (mg) / Avg Daily CBD Use (mg)
Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC	Very High THC to CBD	High THC to CBD	Balanced	High CBD to THC	Very High CBD to THC		
X					X					X		X			0.1 (1)	54.6 mg / 17.7 mg
X							X					X			0.1 (1)	36.2 mg / 26.2 mg
	X	X													0.1 (1)	50.0 mg / 29.7 mg
	X						X								0.1 (1)	71.3 mg / 15.9 mg
		X			X		X			X		X			0.1 (1)	136.6 mg / 64.1 mg
		X				X	X								0.1 (1)	117.5 mg / 70.3 mg
		X				X									0.1 (1)	25.0 mg / 6.1 mg
		X								X		X			0.1 (1)	45.7 mg / 33.8 mg
		X										X			0.1 (1)	18.7 mg / 18.7 mg
			X	X	X										0.1 (1)	41.8 mg / 295.2 mg
			X		X	X	X								0.1 (1)	535.0 mg / 196.2 mg
			X		X		X								0.1 (1)	50.6 mg / 58.4 mg
			X		X					X					0.1 (1)	86.8 mg / 40.6 mg
			X		X							X			0.1 (1)	34.6 mg / 57.6 mg
			X			X	X								0.1 (1)	120.3 mg / 213.7 mg
			X									X			0.1 (1)	20.2 mg / 58.2 mg